Subject Index

Absolute Principle Component Analysis
One-Year Study of the Elemental Composition and Source Apportionment of PM_{10} Aerosols in Florence, Italy, 1372

Acid Deposition
Loss of Particle Nitrate from Teflon Sampling Filters: Effects on Measured Gravimetric Mass in California and in the IMPROVE Network, 93

Acid Gases
Measurement and Analysis of the Relationship between Ammonia, Acid Gases, and Fine Particles in Eastern North Carolina, 623

Acidic Precipitation
Atmospheric Concentrations of $PM_{2.5}$ Trace Elements in the Seoul Urban Area of South Korea, 432
Emissions of Sulfur Trioxide from Coal-Fired Power Plants, 750

Acidity
Aerosol Ion Characteristics During the Big Bend Regional Aerosol and Visibility Observational Study, 585
Loss of Particle Nitrate from Teflon Sampling Filters: Effects on Measured Gravimetric Mass in California and in the IMPROVE Network, 93
Measurement and Analysis of the Relationship between Ammonia, Acid Gases, and Fine Particles in Eastern North Carolina, 623

Activated Carbon
Effect of Advanced Oxidants Generated Via Ultraviolet Light on a Sequentially Loaded and Regenerated Granular Activated Carbon Biofilter, 871

Activity
Outdoor/Indoor/Personal Ozone Exposures of Children in Nashville, Tennessee, 352

Acute Exposure Guideline Levels
Determination of Acute Exposure Guideline Levels in a Dispersion Model, 49

Adsorption
A New Method for the Rapid Determination of Volatile Organic Compound Breakthrough Times for a Sorbent at Concentrations Relevant to Indoor Air Quality, 105
Remediation of MTBE from Drinking Water: Air Stripping Followed by Off-Gas Adsorption, 529

Advanced Oxidation
Effect of Advanced Oxidants Generated Via Ultraviolet Light on a Sequentially Loaded and Regenerated Granular Activated Carbon Biofilter, 871

Aerobic
Comparison of Aerobic and Anaerobic Biotreatment of Municipal Solid Waste, 815

Aerosols
Aerosol Ion Characteristics During the Big Bend Regional Aerosol and Visibility Observational Study, 585
Characterization of Ultrafine Particle Number Concentration and Size Distribution During a Summer Campaign in Southwest Detroit, 1079
Chemical Composition of Post-Harvest Biomass Burning Aerosols in Gwangju, Korea, 1124
Compartmental Human Respiratory Tract Modeling of Airborne Dust Exposure from Feeding in Swine Buildings, 331
Determination of Levoglucosan in Atmospheric Fine Particulate Matter, 689
Development and Application of Protocols for the Determination of Response of Real-Time Particle Monitors to Common Indoor Aerosols, 229
Hourly and Daily Patterns of Particle-Phase Organic and Elemental Carbon Concentrations in the Urban Atmosphere, 823
Laboratory Characterization of Modified Tapered Element Oscillating Microbalance Samplers, 1254
Loss of Particle Nitrate from Teflon Sampling Filters: Effects on Measured Gravimetric Mass in California and in the IMPROVE Network, 93
Measurement and Analysis of the Relationship between Ammonia, Acid Gases, and Fine Particles in Eastern North Carolina, 623
A Mechanistic Model for Mercury Capture with In Situ-Generated Titania Particles: Role of Water Vapor, 149
A Methodology to Establish the Morphology of Ambient Aerosols, 1069
On-Road Vehicle Particulate Matter and Gaseous Emission Distributions in Las Vegas, Nevada, Compared with Other Areas, 711
Ozone and Other Air Quality-Related Variables Affecting Visibility in the Southeast United States, 681
A Quantitative Description of Vehicle Exhaust Particle Size Distributions in a Highway Tunnel, 360
Source Characterization of Atmospheric Heavy Metals in Industrial/Residential Areas: A Case Study in Oman, 425
Study on the Effect of Iron on PM_{10} Formation and Design of a Particle-Generating System Using a Cocentric Diffusion Burner Flame, 898
Uncertainty Requirements in Radiative Forcing of Climate Change, 1351
Variation of Mass Scattering Efficiencies in IMPROVE, 926

Agglomerates
Characterization of Carbon Nanoparticles in Ambient Aerosols by Scanning Electron Microscopy and Model Calculations, 1091

Agriculture
Compartmental Human Respiratory Tract Modeling of Airborne Dust Exposure from Feeding in Swine Buildings, 331
Measurement and Analysis of the Relationship between Ammonia, Acid Gases, and Fine Particles in Eastern North Carolina, 623

Airborne Particulate Matter
Removal of Ultrafine and Fine Particulate Matter from Air by a Granular Bed Filter, 935

Air Cleaning
An Improved Model for Analyzing the Peformance of Photocatalytic Oxidation Reactor in Removing Volatile Organic Compounds and Its Application, 1516

Air Exchange Rates
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207

Air Pollution
2004 Critical Review: Megacities and Atmospheric Pollution, 644
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226
Analysis of $PM_{2.5}$ and PM_{10} in the Atmosphere of Mexico City during 2000–2002, 786
An Analysis of Candidates for Addition to the Clean Air Act List of Hazardous Air Pollutants, 157
Assessing Source Characteristics of $PM_{2.5}$ in the Eastern United States Using Positive Matrix Factorization, 1170

Associations and Lags between Air Pollution and Acute Respiratory Visits in an Ambulatory Care Setting: 25-Month Results from the Aerosol Research and Inhalation Epidemiological Study, 1212
Carbon Monoxide Concentration Forecasting in Santiago, Chile, 908
Characterization of Ultrafine Particle Number Concentration and Size Distribution During a Summer Campaign in Southwest Detroit, 1079
Determination of Levoglucosan in Atmospheric Fine Particulate Matter, 689
Differential Pulmonary Inflammation and In Vitro Cytotoxicity of Size-Fractionated Fly Ash Particles from Pulverized Coal Combustion, 286
Effect of Advanced Oxidants Generated Via Ultraviolet Light on a Sequentially Loaded and Regenerated Granular Activated Carbon Biofilter, 871
Emissions of Sulfur Trioxide from Coal-Fired Power Plants, 750
Estimation of Vinyl Chloride Emissions from Gasholders and Validation of In Situ Emission Reduction Methods, 172
Evaluation of Catalyzed and Electrically Heated Filters for Removal of Particulate Emissions from Diesel-A- and JP-8-Fueled Engines, 83
Innovative Methods for Emission Inventory Development and Evaluation: Workshop Summary, 1422
Loss of Particle Nitrate from Teflon Sampling Filters: Effects on Measured Gravimetric Mass in California and in the IMPROVE Network, 93
A Methodology to Establish the Morphology of Ambient Aerosols, 1069
Ozone and Other Air Quality-Related Variables Affecting Visibility in the Southeast United States, 681
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207
Removal of NO_x from Flue Gas with Iron Filings Reduction Following Complexing Absorption in Ferrous Chelates Aqueous Solutions, 1543
A Simple Model for Estimating Emissions of Volatile Organic Compounds from Grass and Cut Grass in Urban Lawns and Its Application to Two Australian Cities, 1299
Simulating Urban-Scale Air Pollutants and Their Predicting Capabilities over the Seoul Metropolitan Area, 695
Source Characterization of Atmospheric Heavy Metals in Industrial/Residential Areas: A Case Study in Oman, 425
Study on the Effect of Iron on PM_{10} Formation and Design of a Particle-Generating System Using a Cocentric Diffusion Burner Flame, 898
Urban Air Pollution Monitoring and Correlation Properties between Fixed-Site Stations, 1236
Use of the Light Absorption Coefficient to Monitor Elemental Carbon and $PM_{2.5}$—Example of Santiago de Chile, 799

Air Pollution Map
Real-Time Ozone Mapping Using a Regression-Interpolation Hybrid Approach, Applied to Tucson, Arizona, 914

Air Pollution Standards
Source Characterization of Atmospheric Heavy Metals in Industrial/Residential Areas: A Case Study in Oman, 425

Air Quality
Carbon Monoxide Concentration Forecasting in Santiago, Chile, 908
Compartmental Human Respiratory Tract Modeling of Airborne Dust Exposure from Feeding in Swine Buildings, 331
Effect of Advanced Oxidants Generated Via Ultraviolet Light on a Sequentially Loaded and Regenerated Granular Activated Carbon Biofilter, 871
Long-Term Field Characterization of Tapered Element Oscillating Microbalance and Modified Tapered Element Oscillating Microbalance Samplers in Urban and Rural New York State Locations, 1264
Measurement and Analysis of the Relationship between Ammonia, Acid Gases, and Fine Particles in Eastern North Carolina, 623
A New Method for the Rapid Determination of Volatile Organic Compound Breakthrough Times for a Sorbent at Concentrations Relevant to Indoor Air Quality, 105
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207
Recommendations on the Use of Satellite Remote-Sensing Data for Urban Air Quality, 1360
Simulating Urban-Scale Air Pollutants and Their Predicting Capabilities over the Seoul Metropolitan Area, 695
Trends in Concentration of Ground-Level Ozone and Meteorological Conditions during High Ozone Episodes in the Kao-Ping Airshed, Taiwan, 36
Trends in Meteorologically Adjusted Ozone Concentrations in Six Kentucky Metro Areas, 1998–2002, 1383

Air Quality Forecasting
Carbon Monoxide Concentration Forecasting in Santiago, Chile, 908

Air Quality Studies
Characterization of Ultrafine Particle Number Concentration and Size Distribution During a Summer Campaign in Southwest Detroit, 1079
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207
Temporal Variation in Daily Concentrations of Ozone and Acid-Related Substances at Saturna Island, British Columbia, 459

Air Quality Trends Report
Temporal Variation in Daily Concentrations of Ozone and Acid-Related Substances at Saturna Island, British Columbia, 459

Air Stripping
Remediation of MTBE from Drinking Water: Air Stripping Followed by Off-Gas Adsorption, 529

Air Toxics
An Analysis of Candidates for Addition to the Clean Air Act List of Hazardous Air Pollutants, 157
An Assessment of the Significance of Mercury Release from Coal Fly Ash, 320
Combining Neural Network Models to Predict Spatial Patterns of Airborne Pollutant Accumulation in Soils around an Industrial Point Emission Source, 1506
Determination of Acute Exposure Guideline Levels in a Dispersion Model, 49
Development of a Hazardous Air Pollutants Monitoring Program Using the Data Quality Objectives Process, 614
Development of Probabilistic Emission Inventories of Air Toxics for Jacksonville, Florida, 1405
Estimation of Vinyl Chloride Emissions from Gasholders and Validation of In Situ Emission Reduction Methods, 172

A Mechanistic Model for Mercury Capture with In Situ-Generated Titania Particles: Role of Water Vapor, 149
Near-Field Dispersion Modeling for Regulatory Applications, 473
Regulatory Off-Gas Analysis from the Evaporation of Hanford Simulated Waste Spiked with Organic Compounds, 1242
Selective Catalytic Oxidation of Ammonia over Copper-Cerium Composite Catalyst, 68

Air & Waste Management Association
Effect of Advanced Oxidants Generated Via Ultraviolet Light on a Sequentially Loaded and Regenerated Granular Activated Carbon Biofilter, 871
Forecasting Daily Maximum Surface Ozone Concentrations in Brunei Darussalam—An ARIMA Modeling Approach, 809
Removal of NO_x from Flue Gas with Iron Filings Reduction Following Complexing Absorption in Ferrous Chelates Aqueous Solutions, 1543
Source Characterization of Atmospheric Heavy Metals in Industrial/Residential Areas: A Case Study in Oman, 425

Alternative/Innovative Technology
Abatement of Sulfur Hexafluoride Emissions from the Semiconductor Manufacturing Process by Atmospheric-Pressure Plasmas, 960
Simultaneous Removal of Nitrogen Oxide/Nitrogen Dioxide/Sulfur Dioxide from Gas Streams by Combined Plasma Scrubbing Technology, 941

Ambient
A Methodology to Establish the Morphology of Ambient Aerosols, 1069

Ambient Air
Associations between Particle Number and Gaseous Co-Pollutant Concentrations in the Los Angeles Basin, 992
Determination of Levoglucosan in Atmospheric Fine Particulate Matter, 689
Measurement and Analysis of the Relationship between Ammonia, Acid Gases, and Fine Particles in Eastern North Carolina, 623
Ozone and Other Air Quality-Related Variables Affecting Visibility in the Southeast United States, 681
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207
Temporal Variation in Daily Concentrations of Ozone and Acid-Related Substances at Saturna Island, British Columbia, 459

Ambient Air Quality Standards
Loss of Particle Nitrate from Teflon Sampling Filters: Effects on Measured Gravimetric Mass in California and in the IMPROVE Network, 93
The Relationship between Real-Time and Time-Integrated Coarse (2.5–10 μm), Intermodal (1–2.5 μm), and Fine (<2.5 μm) Particulate Matter in the Los Angeles Basin, 1029
Trends in Meteorologically Adjusted Ozone Concentrations in Six Kentucky Metro Areas, 1998–2002, 1383
Understanding the Effectiveness of Precursor Reductions in Lowering 8-Hr Ozone Concentrations—Part II. The Eastern United States, 1452

Ambient Concentrations
Aerosol Ion Characteristics During the Big Bend Regional Aerosol and Visibility Observational Study, 585
Carbon Monoxide Concentration Forecasting in Santiago, Chile, 908
Long-Term Field Characterization of Tapered Element Oscillating Microbalance and Modified Tapered Element Oscillating Microbalance Samplers in Urban and Rural New York State Locations, 1264
Loss of Particle Nitrate from Teflon Sampling Filters: Effects on Measured Gravimetric Mass in California and in the IMPROVE Network, 93
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207
Spatial Variability of $PM_{2.5}$ in Urban Areas in the United States, 440
Temporal Variation in Daily Concentrations of Ozone and Acid-Related Substances at Saturna Island, British Columbia, 459

Ammonia
Measurement and Analysis of the Relationship between Ammonia, Acid Gases, and Fine Particles in Eastern North Carolina, 623

Anaerobic
Comparison of Aerobic and Anaerobic Biotreatment of Municipal Solid Waste, 815

Analytical Methods
Determination of Levoglucosan in Atmospheric Fine Particulate Matter, 689
Laboratory Characterization of Modified Tapered Element Oscillating Microbalance Samplers, 1254

Animal Indoor Environment
A Review of Effects and Control Methods of Particulate Matter in Animal Indoor Environments, 844

Applications
Study on the Effect of Iron on PM_{10} Formation and Design of a Particle-Generating System Using a Cocentric Diffusion Burner Flame, 898

Area Sources
Estimation of Vinyl Chloride Emissions from Gasholders and Validation of In Situ Emission Reduction Methods, 172

ARIMA
Forecasting Daily Maximum Surface Ozone Concentrations in Brunei Darussalam—An ARIMA Modeling Approach, 809

Arsenic
Development of Probabilistic Emission Inventories of Air Toxics for Jacksonville, Florida, 1405

Ash
An Assessment of the Significance of Mercury Release from Coal Fly Ash, 320

Ash Fly
Geotechnical Engineering Properties of Incinerator Ash Mixes, 985

Asthma
Associations and Lags between Air Pollution and Acute Respiratory Visits in an Ambulatory Care Setting: 25-Month Results from the Aerosol Research and Inhalation Epidemiological Study, 1212

Atmospheric Chemistry
Measurement and Analysis of the Relationship between Ammonia, Acid Gases, and Fine Particles in Eastern North Carolina, 623
Ozone and Other Air Quality-Related Variables Affecting Visibility in the Southeast United States, 681
Trends in Concentration of Ground-Level Ozone and Meteorological Conditions during High Ozone Episodes in the Kao-Ping Airshed, Taiwan, 36
Understanding the Effectiveness of Precursor Reductions in Lowering 8-Hr Ozone Concentrations—Part II. The Eastern United States, 1452

Uptake of Aromatic Hydrocarbon Vapors (Benzene and Phenanthrene) at the Air-Water Interface of Micron-Size Water Droplets, 1550

Attainment
An Operational Assessment of the Application of the Relative Reduction Factors in the Demonstration of Attainment of the 8-Hr Ozone National Ambient Air Quality Standard, 950

Automotive
Development of the IM147: An Alternative Inspection/Maintenance Mass-Emission Transient Test to Address Vehicle Preconditioning Concerns, 269
Mixed-Model Statistical Analysis of Fuel, Equipment, Mileage, and Driving Schedule Effects on Particulate Matter Emissions from Heavy Diesel-Powered Vehicles, 1151
On-Road Vehicle Particulate Matter and Gaseous Emission Distributions in Las Vegas, Nevada, Compared with Other Areas, 711

Automotive Exhaust
Characterization of the Fugitive Particulate Emissions from Construction Mud/Dirt Carryout, 1394
Contribution of Vehicle Emissions from an Attached Garage to Residential Indoor Air Pollution Levels, 563
Evaluation of Catalyzed and Electrically Heated Filters for Removal of Particulate Emissions from Diesel-A- and JP-8-Fueled Engines, 83
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model–Year Gasoline Vehicles, 258
Method for Reporting In-Use Vehicle Fuel Consumption and Carbon Dioxide Emissions from a Fast-Pass Transient Inspection, 593
Quantification of Highway Vehicle Emissions Hot Spots Based upon On-Board Measurements, 130

Bangkok
Photochemical Smog Modeling for Assessment of Potential Impacts of Different Management Stategies on Air Quality of the Bangkok Metropolitan Region, Thailand, 1321

BIOCELL
Performance of an Innovative Two-Stage Process Converting Food Waste to Hydrogen and Methane, 242

Biofiltration
Design and Performance Characterization Strategy Using Modeling for Biofiltration Control of Odorous Hydrogen Sulfide, 834
Effect of Advanced Oxidants Generated Via Ultraviolet Light on a Sequentially Loaded and Regenerated Granular Activated Carbon Biofilter, 871
Effect of Substrate Henry's Constant on Biofilter Performance, 409
Kinetic Evaluation of H_2S and NH_3 Biofiltration for Two Media Used for Wastewater Lift Station Emissions, 24
Removal of Ultrafine and Fine Particulate Matter from Air by a Granular Bed Filter, 935

Biogas Production
Occurrence and Abatement of Volatile Sulfur Compounds during Biogas Production, 855

Biogenic Aerosols
Design Scenario for the Radioisotopic Estimation of the Biogenic Component of Airborne Particles, 600

Biomass Burning Aerosol
Chemical Composition of Post-Harvest Biomass Burning Aerosols in Gwangju, Korea, 1124

Bioreactor
Comparison of Aerobic and Anaerobic Biotreatment of Municipal Solid Waste, 815

Black Carbon
Evaluation of Catalyzed and Electrically Heated Filters for Removal of Particulate Emissions from Diesel-A- and JP-8-Fueled Engines, 83

Bottom Ash
Geotechnical Engineering Properties of Incinerator Ash Mixes, 985

Boundary Layer
Prediction of the Vertical Profile of Ozone Based on Ground-Level Ozone Observations and Cloud Cover, 483

Breakthrough
A New Method for the Rapid Determination of Volatile Organic Compound Breakthrough Times for a Sorbent at Concentrations Relevant to Indoor Air Quality, 105

Canada-Wide Standards
Characterization of Visibility Impacts Related to Fine Particulate Matter in Canada, 1061

Carbon Dioxide
Quantification of Highway Vehicle Emissions Hot Spots Based upon On-Board Measurements, 130

Carbon Fraction
Source Apportionment of Fine Particles in Washington, DC, Utilizing Temperature-Resolved Carbon Fractions, 773

Carbon Monoxide
Carbon Monoxide Concentration Forecasting in Santiago, Chile, 908
Quantification of Highway Vehicle Emissions Hot Spots Based upon On-Board Measurements, 130

Carbon Nanoparticles
Characterization of Carbon Nanoparticles in Ambient Aerosols by Scanning Electron Microscopy and Model Calculations, 1091

Carbon Particles
Design Scenario for the Radioisotopic Estimation of the Biogenic Component of Airborne Particles, 600

Carbon Tetrachloride
Modeling of Gas-Phase Photodegradation of Chloroform and Carbon Tetrachloride, 1281

Carbonyl Compounds
Field Validation of an Active Sampling Cartridge as a Passive Sampler for Long-Term Carbonyl Monitoring, 419

Catalytic Conversion
Catalytic Destruction of Dichloromethane Using Perovskite-Type Oxide Catalysts, 727
Selective Catalytic Oxidation of Ammonia over Copper-Cerium Composite Catalyst, 68

Catalytic Oxidation
Catalytic Destruction of Dichloromethane Using Perovskite-Type Oxide Catalysts, 727

Characterization
Analysis of $PM_{2.5}$ and PM_{10} in the Atmosphere of Mexico City during 2000–2002, 786
Chemical Composition of Post-Harvest Biomass Burning Aerosols in Gwangju, Korea, 1124
Chemical Speciation of $PM_{2.5}$ Collected during Prescribed Fires of the Coconino National Forest near Flagstaff, Arizona, 1112
Hydration Properties of Eco-Cement Pastes from Waste Sludge Ash Clinkers, 1534

Laboratory Characterization of Modified Tapered Element Oscillating Microbalance Samplers, 1254
Study on the Effect of Iron on PM_{10} Formation and Design of a Particle-Generating System Using a Cocentric Diffusion Burner Flame, 898

Chemical Composition
Chemical Composition of Post-Harvest Biomass Burning Aerosols in Gwangju, Korea, 1124

Chloroform
Modeling of Gas-Phase Photodegradation of Chloroform and Carbon Tetrachloride, 1281

Clean Air Act Amendments
Development of a Hazardous Air Pollutants Monitoring Program Using the Data Quality Objectives Process, 614

Clear Skies Initiative
Supply Curves for Using Powder River Basin Coal to Reduce Sulfur Emissions, 741

Climate Change
Method for Reporting In-Use Vehicle Fuel Consumption and Carbon Dioxide Emissions from a Fast-Pass Transient Inspection, 593
Uncertainty Requirements in Radiative Forcing of Climate Change, 1351

Cloud Cover
Prediction of the Vertical Profile of Ozone Based on Ground-Level Ozone Observations and Cloud Cover, 483

CMAQ
Application and Evaluation of Two Air Quality Models for Particulate Matter for a Southeastern U.S. Episode, 1478

Coal Burning Facilities
An Assessment of the Significance of Mercury Release from Coal Fly Ash, 320
Differential Pulmonary Inflammation and In Vitro Cytotoxicity of Size-Fractionated Fly Ash Particles from Pulverized Coal Combustion, 286
Emissions of Sulfur Trioxide from Coal-Fired Power Plants, 750
A Mechanistic Model for Mercury Capture with In Situ-Generated Titania Particles: Role of Water Vapor, 149

Coal Combustion
An Assessment of the Significance of Mercury Release from Coal Fly Ash, 320
Investigation of Selective Catalytic Reduction Impact on Mercury Speciation under Simulated NO_x Emission Control Conditions, 1560

Coal-Fired Boiler
Gas-Phase Mercury Reduction to Measure Total Mercury in the Flue Gas of a Coal-Fired Boiler, 60

Combustion
Characterization of Carbon Nanoparticles in Ambient Aerosols by Scanning Electron Microscopy and Model Calculations, 1091
A Mechanistic Model for Mercury Capture with In Situ-Generated Titania Particles: Role of Water Vapor, 149
Study on the Effect of Iron on PM_{10} Formation and Design of a Particle-Generating System Using a Cocentric Diffusion Burner Flame, 898
Use of Noise Attenuation Modeling in Managing Missile Motor Detonation Activities, 342

Combustion Aerosol
Measurement of Ultrafine Particle Size Distributions from Coal-, Oil-, and Gas-Fired Stationary Combustion Sources, 1494

Compaction
Geotechnical Engineering Properties of Incinerator Ash Mixes, 985

Complex
Removal of NO_x from Flue Gas with Iron Filings Reduction Following Complexing Absorption in Ferrous Chelates Aqueous Solutions, 1543

Compliance
Development of a Hazardous Air Pollutants Monitoring Program Using the Data Quality Objectives Process, 614
Measuring Visual Opacity Using Digital Imaging Technology, 296
Use of Noise Attenuation Modeling in Managing Missile Motor Detonation Activities, 342

Compositive Sulfur Impregnation
Preparation of Sulfurized Powdered Activated Carbon from Waste Tires Using an Innovative Compositive Impregnation Process, 862

Conditional Probability Function
Source Apportionment of Fine Particles in Washington, DC, Utilizing Temperature-Resolved Carbon Fractions, 773

Consumer Products
Indoor Fine Particles: The Role of Terpene Emissions from Consumer Products, 367

Control Strategies
2004 Critical Review: Megacities and Atmospheric Pollution, 644
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226
Chemical Composition of Post-Harvest Biomass Burning Aerosols in Gwangju, Korea, 1124
Estimation of Vinyl Chloride Emissions from Gasholders and Validation of In Situ Emission Reduction Methods, 172

Control Technologies
Abatement of Sulfur Hexafluoride Emissions from the Semiconductor Manufacturing Process by Atmospheric-Pressure Plasmas, 960
Kinetic Evaluation of H_2S and NH_3 Biofiltration for Two Media Used for Wastewater Lift Station Emissions, 24

Co-Pollutants
Associations between Particle Number and Gaseous Co-Pollutant Concentrations in the Los Angeles Basin, 992

Correlation
Associations between Particle Number and Gaseous Co-Pollutant Concentrations in the Los Angeles Basin, 992

Correlation Analysis
Atmospheric Concentrations of $PM_{2.5}$ Trace Elements in the Seoul Urban Area of South Korea, 432

Critical Review
2004 Critical Review: Megacities and Atmospheric Pollution, 644
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226

Cyclones
Innovative Methods for Emission Inventory Development and Evaluation: Workshop Summary, 1422

Data Integration
Recommendations on the Use of Satellite Remote-Sensing Data for Urban Air Quality, 1360

Data Quality
Development of a Hazardous Air Pollutants Monitoring Program Using the Data Quality Objectives Process, 614

Decision-Making
2004 Critical Review: Megacities and Atmospheric Pollution, 644

2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226
Use of Noise Attenuation Modeling in Managing Missile Motor Detonation Activities, 342

Destruction and Removal Efficiencies
Abatement of Sulfur Hexafluoride Emissions from the Semiconductor Manufacturing Process by Atmospheric-Pressure Plasmas, 960

Detroit
Characterization of Ultrafine Particle Number Concentration and Size Distribution During a Summer Campaign in Southwest Detroit, 1079

Dichloromethane
Catalytic Destruction of Dichloromethane Using Perovskite-Type Oxide Catalysts, 727

Diesel
Emission Rates and Comparative Chemical Composition from Selected In-Use Diesel and Gasoline-Fueled Vehicles, 1138

Dilution Method
Measurement of Ultrafine Particle Size Distributions from Coal-, Oil-, and Gas-Fired Stationary Combustion Sources, 1494

Dioxin Formation
Emission Characteristics of PCDD/Fs, PCBs, Chlorobenzenes, Chlorophenols, and PAHs from Polyvinylchloride Combustion at Various Temperatures, 555

Direct Shear
Geotechnical Engineering Properties of Incinerator Ash Mixes, 985

Dispersion Models
Deposition and Removal of Fugitive Dust in the Arid Southwestern United States: Measurements and Model Results, 1099
Determination of Acute Exposure Guideline Levels in a Dispersion Model, 49
Evaluation of the Industrial Source Complex Short-Term Model: Dispersion over Terrain, 396
Near-Field Dispersion Modeling for Regulatory Applications, 473
A Risk-Based Model to Establish Threshold Planning Quantities of Hazardous Substances, 495

Droplet Charging
Droplet Charging for Wet Scrubbers, 3

Dust
Characterization of the Fugitive Particulate Emissions from Construction Mud/Dirt Carryout, 1394
Chemical Composition of Post-Harvest Biomass Burning Aerosols in Gwangju, Korea, 1124
Comparisons of the Dust/Smoke Particulate that Settled Inside the Surrounding Buildings and Outside on the Streets of Southern New York City after the Collapse of the World Trade Center, September 11, 2001, 515
Deposition and Removal of Fugitive Dust in the Arid Southwestern United States: Measurements and Model Results, 1099

Dust, Aerosol
Chemical Composition of Post-Harvest Biomass Burning Aerosols in Gwangju, Korea, 1124

Dust, Fugitive
Assessment of Influential Range and Characteristics of Fugitive Dust in Limestone Extraction Processes, 141

Dye
Evaluation of Relative Photonic Efficiency in Heterogeneous Photocatalytic Reactors, 77

Economics
Recycling in a Megacity, 389

Efficiencies
Variation of Mass Scattering Efficiencies in IMPROVE, 926

Efficiency Assessment
Assessment of Influential Range and Characteristics of Fugitive Dust in Limestone Extraction Processes, 141

Electrostatic Precipitation
Droplet Charging for Wet Scrubbers, 3
A Mechanistic Model for Mercury Capture with In Situ-Generated Titania Particles: Role of Water Vapor, 149

Elemental Carbon
Use of the Light Absorption Coefficient to Monitor Elemental Carbon and $PM_{2.5}$—Example of Santiago de Chile, 799

Elemental Mercury
Investigation of Selective Catalytic Reduction Impact on Mercury Speciation under Simulated NO_x Emission Control Conditions, 1560

Elements
Atmospheric Concentrations of $PM_{2.5}$ Trace Elements in the Seoul Urban Area of South Korea, 432

Emergency Response Models
Determination of Acute Exposure Guideline Levels in a Dispersion Model, 49

Emission Controls
Carbon Monoxide Concentration Forecasting in Santiago, Chile, 908
Emissions and Demonstration of an Emission Control Technology for Small Two-Stroke Utility Engines, 200
Kinetic Evaluation of H_2S and NH_3 Biofiltration for Two Media Used for Wastewater Lift Station Emissions, 24
Operational Characteristics of Effective Removal of H_2S and NH_3 Waste Gases by Activated Carbon Biofilter, 450
Selective Catalytic Oxidation of Ammonia over Copper-Cerium Composite Catalyst, 68
Simultaneous Removal of Nitrogen Oxide/Nitrogen Dioxide/Sulfur Dioxide from Gas Streams by Combined Plasma Scrubbing Technology, 941

Emission Database Evaluation
Photochemical Smog Modeling for Assessment of Potential Impacts of Different Management Stategies on Air Quality of the Bangkok Metropolitan Region, Thailand, 1321

Emission Factor
Assessment of Influential Range and Characteristics of Fugitive Dust in Limestone Extraction Processes, 141
Inorganic Acid Emission Factors of Semiconductor Manufacturing Processes, 218

Emission Inventories
2004 Critical Review: Megacities and Atmospheric Pollution, 644
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226
Development of Probabilistic Emission Inventories of Air Toxics for Jacksonville, Florida, 1405
Emissions and Demonstration of an Emission Control Technology for Small Two-Stroke Utility Engines, 200
Evaluation of Vacuum and Wet-Wipe Methods for Removal of World Trade Center Dust from Indoor Environments, 1293

Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model–Year Gasoline Vehicles, 258
Inorganic Acid Emission Factors of Semiconductor Manufacturing Processes, 218
Mobile Source Emission Inventories—Monthly or Annual Average Inputs to MOBILE6?, 1006
Near-Field Dispersion Modeling for Regulatory Applications, 473
Real-World Vehicle Emissions: A Summary of the Thirteenth Coordinating Research Council On-Road Vehicle Emissions Workshop, 8

Emission Rates
Development of Probabilistic Emission Inventories of Air Toxics for Jacksonville, Florida, 1405
Emission Rates and Comparative Chemical Composition from Selected In-Use Diesel and Gasoline-Fueled Vehicles, 1138
Emissions and Demonstration of an Emission Control Technology for Small Two-Stroke Utility Engines, 200
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model–Year Gasoline Vehicles, 258
Study on the Effect of Iron on PM_{10} Formation and Design of a Particle-Generating System Using a Cocentric Diffusion Burner Flame, 898

Emissions
2004 Critical Review: Megacities and Atmospheric Pollution, 644
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226
Assessment of Influential Range and Characteristics of Fugitive Dust in Limestone Extraction Processes, 141
Deposition and Removal of Fugitive Dust in the Arid Southwestern United States: Measurements and Model Results, 1099
Development of the IM147: An Alternative Inspection/Maintenance Mass-Emission Transient Test to Address Vehicle Preconditioning Concerns, 269
Emission Characteristics of PCDD/Fs, PCBs, Chlorobenzenes, Chlorophenols, and PAHs from Polyvinylchloride Combustion at Various Temperatures, 555
Emissions and Demonstration of an Emission Control Technology for Small Two-Stroke Utility Engines, 200
Evaluation of Vacuum and Wet-Wipe Methods for Removal of World Trade Center Dust from Indoor Environments, 1293
Measurement of Ultrafine Particle Size Distributions from Coal-, Oil-, and Gas-Fired Stationary Combustion Sources, 1494
Mixed-Model Statistical Analysis of Fuel, Equipment, Mileage, and Driving Schedule Effects on Particulate Matter Emissions from Heavy Diesel-Powered Vehicles, 1151
On-Road Vehicle Particulate Matter and Gaseous Emission Distributions in Las Vegas, Nevada, Compared with Other Areas, 711
Ozone and Other Air Quality-Related Variables Affecting Visibility in the Southeast United States, 681
Quantification of Highway Vehicle Emissions Hot Spots Based upon On-Board Measurements, 130
Real-World Vehicle Emissions: A Summary of the Thirteenth Coordinating Research Council On-Road Vehicle Emissions Workshop, 8
Roadside Particle Number Distributions and Relationships between Number Concentrations, Meteorology, and Traffic along a Northern California Freeway, 540

Emissions, Automotive
Evaluation of Catalyzed and Electrically Heated Filters for Removal of Particulate Emissions from Diesel-A- and JP-8-Fueled Engines, 83
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model–Year Gasoline Vehicles, 258
Quantification of Highway Vehicle Emissions Hot Spots Based upon On-Board Measurements, 130

Emissions, Characterization
Characterization of the Fugitive Particulate Emissions from Construction Mud/Dirt Carryout, 1394
Contribution of Vehicle Emissions from an Attached Garage to Residential Indoor Air Pollution Levels, 563
Emission Rates and Comparative Chemical Composition from Selected In-Use Diesel and Gasoline-Fueled Vehicles, 1138
Emissions and Demonstration of an Emission Control Technology for Small Two-Stroke Utility Engines, 200
Evaluation of Catalyzed and Electrically Heated Filters for Removal of Particulate Emissions from Diesel-A- and JP-8-Fueled Engines, 83
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model–Year Gasoline Vehicles, 258
Measuring Visual Opacity Using Digital Imaging Technology, 296
Ozone and Other Air Quality-Related Variables Affecting Visibility in the Southeast United States, 681
Real-World Vehicle Emissions: A Summary of the Thirteenth Coordinating Research Council On-Road Vehicle Emissions Workshop, 8

Emissions, Flue Gases
Regulatory Off-Gas Analysis from the Evaporation of Hanford Simulated Waste Spiked with Organic Compounds, 1242

Emissions Reduction
An Operational Assessment of the Application of the Relative Reduction Factors in the Demonstration of Attainment of the 8-Hr Ozone National Ambient Air Quality Standard, 950
Design and Performance Characterization Strategy Using Modeling for Biofiltration Control of Odorous Hydrogen Sulfide, 834
Effect of Advanced Oxidants Generated Via Ultraviolet Light on a Sequentially Loaded and Regenerated Granular Activated Carbon Biofilter, 871
Estimation of Vinyl Chloride Emissions from Gasholders and Validation of In Situ Emission Reduction Methods, 172
Evaluation of Catalyzed and Electrically Heated Filters for Removal of Particulate Emissions from Diesel-A- and JP-8-Fueled Engines, 83
A Mechanistic Model for Mercury Capture with In Situ-Generated Titania Particles: Role of Water Vapor, 149

Emission Standards
Development of the IM147: An Alternative Inspection/Maintenance Mass-Emission Transient Test to Address Vehicle Preconditioning Concerns, 269

Enforcement
Use of Noise Attenuation Modeling in Managing Missile Motor Detonation Activities, 342

Enrichment Factor
Atmospheric Concentrations of $PM_{2.5}$ Trace Elements in the Seoul Urban Area of South Korea, 432

Environmental Management
Carbon Monoxide Concentration Forecasting in Santiago, Chile, 908

Environmental Nanotechnology
A Mechanistic Model for Mercury Capture with In Situ-Generated Titania Particles: Role of Water Vapor, 149

Environmental Protection
Carbon Monoxide Concentration Forecasting in Santiago, Chile, 908

Environmental Tobacco Smoke
Development and Application of Protocols for the Determination of Response of Real-Time Particle Monitors to Common Indoor Aerosols, 229

Environmental Transport
Combining Neural Network Models to Predict Spatial Patterns of Airborne Pollutant Accumulation in Soils around an Industrial Point Emission Source, 1506

Error Structure
A Simple Model for Estimating Emissions of Volatile Organic Compounds from Grass and Cut Grass in Urban Airsheds and Its Application to Two Australian Cities, 1299

Exposure
Associations between Particle Number and Gaseous Co-Pollutant Concentrations in the Los Angeles Basin, 992
Estimated Hourly Personal Exposures to Ambient and Nonambient Particulate Matter Among Sensitive Populations in Seattle, Washington, 1197

Exposure Limits
Determination of Acute Exposure Guideline Levels in a Dispersion Model, 49

Fine Particles
Chemical Composition of Post-Harvest Biomass Burning Aerosols in Gwangju, Korea, 1124

Fingerprint
Inorganic Acid Emission Factors of Semiconductor Manufacturing Processes, 218

Flue Gases
Gas-Phase Mercury Reduction to Measure Total Mercury in the Flue Gas of a Coal-Fired Boiler, 60
Selective Catalytic Oxidation of Ammonia over Copper-Cerium Composite Catalyst, 68

Fly
An Assessment of the Significance of Mercury Release from Coal Fly Ash, 320

Fog Droplet
Uptake of Aromatic Hydrocarbon Vapors (Benzene and Phenanthrene) at the Air-Water Interface of Micron-Size Water Droplets, 1550

Food Waste
Performance of an Innovative Two-Stage Process Converting Food Waste to Hydrogen and Methane, 242

Formaldehyde
Field Validation of an Active Sampling Cartridge as a Passive Sampler for Long-Term Carbonyl Monitoring, 419

Fuel Consumption
Method for Reporting In-Use Vehicle Fuel Consumption and Carbon Dioxide Emissions from a Fast-Pass Transient Inspection, 593

Fuels
Evaluation of Vacuum and Wet-Wipe Methods for Removal of World Trade Center Dust from Indoor Environments, 1293
Measurement of Ultrafine Particle Size Distributions from Coal-, Oil-, and Gas-Fired Stationary Combustion Sources, 1494
Study on the Effect of Iron on PM_{10} Formation and Design of a Particle-Generating System Using a Cocentric Diffusion Burner Flame, 898

Fugitive
Characterization of the Fugitive Particulate Emissions from Construction Mud/Dirt Carryout, 1394
Chemical Composition of Post-Harvest Biomass Burning Aerosols in Gwangju, Korea, 1124
Deposition and Removal of Fugitive Dust in the Arid Southwestern United States: Measurements and Model Results, 1099

Gas Chromatography/ Mass Spectrometry
Determination of Levoglucosan in Atmospheric Fine Particulate Matter, 689
Emission Rates and Comparative Chemical Composition from Selected In-Use Diesel and Gasoline-Fueled Vehicles, 1138
Occurrence and Abatement of Volatile Sulfur Compounds during Biogas Production, 855

Gases
Abatement of Sulfur Hexafluoride Emissions from the Semiconductor Manufacturing Process by Atmospheric-Pressure Plasmas, 960
On-Road Vehicle Particulate Matter and Gaseous Emission Distributions in Las Vegas, Nevada, Compared with Other Areas, 711

Gasoline
Emission Rates and Comparative Chemical Composition from Selected In-Use Diesel and Gasoline-Fueled Vehicles, 1138

Gas Phase
Modeling of Gas-Phase Photodegradation of Chloroform and Carbon Tetrachloride, 1281

Gas-to-Particle Conversion
Measurement and Analysis of the Relationship between Ammonia, Acid Gases, and Fine Particles in Eastern North Carolina, 623

Global Pollution
2004 Critical Review: Megacities and Atmospheric Pollution, 644
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226

Global Warming/ Greenhouse Effect
Uncertainty Requirements in Radiative Forcing of Climate Change, 1351

Granular Activated Carbon
Remediation of MTBE from Drinking Water: Air Stripping Followed by Off-Gas Adsorption, 529

Granular Filter
Removal of Ultrafine and Fine Particulate Matter from Air by a Granular Bed Filter, 935

Greater Toronto Area (GTA)
Manganese Content of *Tradescancia* Species Exposed to Automotive Combustion of Methylcyclopentadienyl Manganese Tricarbonyl in Urban and Rural Landscapes, 181

Greenhouse
Abatement of Sulfur Hexafluoride Emissions from the Semiconductor Manufacturing Process by Atmospheric-Pressure Plasmas, 960

Ground-Level Ozone
Prediction of the Vertical Profile of Ozone Based on Ground-Level Ozone Observations and Cloud Cover, 483

Hazardous Air Pollutants
An Analysis of Candidates for Addition to the Clean Air Act List of Hazardous Air Pollutants, 157
Determination of Acute Exposure Guideline Levels in a Dispersion Model, 49
Effect of Advanced Oxidants Generated Via Ultraviolet Light on a Sequentially Loaded and Regenerated Granular Activated Carbon Biofilter, 871
Kinetic Evaluation of H_2S and NH_3 Biofiltration for Two Media Used for Wastewater Lift Station Emissions, 24
Regulatory Off-Gas Analysis from the Evaporation of Hanford Simulated Waste Spiked with Organic Compounds, 1242

Hazardous Waste Cleanup
Regulatory Off-Gas Analysis from the Evaporation of Hanford Simulated Waste Spiked with Organic Compounds, 1242

Hazard Ranking
An Analysis of Candidates for Addition to the Clean Air Act List of Hazardous Air Pollutants, 157

Haze
Variation of Mass Scattering Efficiencies in IMPROVE, 926

Health Effects/Risks
Associations and Lags between Air Pollution and Acute Respiratory Visits in an Ambulatory Care Setting: 25-Month Results from the Aerosol Research and Inhalation Epidemiological Study, 1212
Determination of Acute Exposure Guideline Levels in a Dispersion Model, 49
Differential Pulmonary Inflammation and In Vitro Cytotoxicity of Size-Fractionated Fly Ash Particles from Pulverized Coal Combustion, 286
Mixed-Model Statistical Analysis of Fuel, Equipment, Mileage, and Driving Schedule Effects on Particulate Matter Emissions from Heavy Diesel-Powered Vehicles, 1151
The Relationship between Real-Time and Time-Integrated Coarse (2.5–10 μm), Intermodal (1–2.5 μm), and Fine (<2.5 μm) Particulate Matter in the Los Angeles Basin, 1029
Source Apportionment of Indoor, Outdoor, and Personal $PM_{2.5}$ in Seattle, Washington, Using Positive Matrix Factorization, 1175

Heavy Metals
Source Characterization of Atmospheric Heavy Metals in Industrial/Residential Areas: A Case Study in Oman, 425

Henry's Constant
Effect of Substrate Henry's Constant on Biofilter Performance, 409

Human Exposure
2004 Critical Review: Megacities and Atmospheric Pollution, 644
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226
Contribution of Vehicle Emissions from an Attached Garage to Residential Indoor Air Pollution Levels, 563
Determination of Acute Exposure Guideline Levels in a Dispersion Model, 49
Development and Application of Protocols for the Determination of Response of Real-Time Particle Monitors to Common Indoor Aerosols, 229
Outdoor/Indoor/Personal Ozone Exposures of Children in Nashville, Tennessee, 352
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207
The Relationship between Real-Time and Time-Integrated Coarse (2.5–10 μm), Intermodal (1–2.5 μm), and Fine (<2.5 μm) Particulate Matter in the Los Angeles Basin, 1029

Hybrid Photocatalyst
An Improved Model for Analyzing the Peformance of Photocatalytic Oxidation Reactor in Removing Volatile Organic Compounds and Its Application, 1516

Hydration
Hydration Properties of Eco-Cement Pastes from Waste Sludge Ash Clinkers, 1534

Hydrocarbons
Quantification of Highway Vehicle Emissions Hot Spots Based upon On-Board Measurements, 130

Hydrogen
Performance of an Innovative Two-Stage Process Converting Food Waste to Hydrogen and Methane, 242

Hydrogen Sulfide
Design and Performance Characterization Strategy Using Modeling for Biofiltration Control of Odorous Hydrogen Sulfide, 834

IEG Management
The Indoor Environmental Index and Its Relationship with Symptoms of Office Building Occupants, 1440

Incineration
Geotechnical Engineering Properties of Incinerator Ash Mixes, 985

Index
The Indoor Environmental Index and Its Relationship with Symptoms of Office Building Occupants, 1440

Individual Exposure
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207
A Risk-Based Model to Establish Threshold Planning Quantities of Hazardous Substances, 495
Source Apportionment of Indoor, Outdoor, and Personal $PM_{2.5}$ in Seattle, Washington, Using Positive Matrix Factorization, 1175

Individual Risk
A Risk-Based Model to Establish Threshold Planning Quantities of Hazardous Substances, 495

Indoor Air Pollution
Contribution of Vehicle Emissions from an Attached Garage to Residential Indoor Air Pollution Levels, 563
Development and Application of Protocols for the Determination of Response of Real-Time Particle Monitors to Common Indoor Aerosols, 229
Estimated Hourly Personal Exposures to Ambient and Nonambient Particulate Matter Among Sensitive Populations in Seattle, Washington, 1197
A New Method for the Rapid Determination of Volatile Organic Compound Breakthrough Times for a Sorbent at Concentrations Relevant to Indoor Air Quality, 105
Outdoor Versus Indoor Contributions to Indoor Particulate Matter (PM) Determined by Mass Balance Methods, 1188
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207

Source Apportionment of Indoor, Outdoor, and Personal $PM_{2.5}$ in Seattle, Washington, Using Positive Matrix Factorization, 1175

Indoor Air Quality
An Improved Model for Analyzing the Peformance of Photocatalytic Oxidation Reactor in Removing Volatile Organic Compounds and Its Application, 1516

Indoor Chemistry
Indoor Fine Particles: The Role of Terpene Emissions from Consumer Products, 367

Indoor Environmental Quality
The Indoor Environmental Index and Its Relationship with Symptoms of Office Building Occupants, 1440

Industrial Pollution
Measuring Visual Opacity Using Digital Imaging Technology, 296
Operational Characteristics of Effective Removal of H_2S and NH_3 Waste Gases by Activated Carbon Biofilter, 450
Selective Catalytic Oxidation of Ammonia over Copper-Cerium Composite Catalyst, 68

Infiltration
Estimated Hourly Personal Exposures to Ambient and Nonambient Particulate Matter Among Sensitive Populations in Seattle, Washington, 1197

Innovative Technologies
Kinetic Evaluation of H_2S and NH_3 Biofiltration for Two Media Used for Wastewater Lift Station Emissions, 24

Inorganic Acids
Inorganic Acid Emission Factors of Semiconductor Manufacturing Processes, 218

Inspection/Maintenance
Development of the IM147: An Alternative Inspection/Maintenance Mass-Emission Transient Test to Address Vehicle Preconditioning Concerns, 269

Internal Air Cleaner
A Review of Effects and Control Methods of Particulate Matter in Animal Indoor Environments, 844

Iron Filings
Removal of NO_x from Flue Gas with Iron Filings Reduction Following Complexing Absorption in Ferrous Chelates Aqueous Solutions, 1543

ISCST Model
Evaluation of the Industrial Source Complex Short-Term Model: Dispersion over Terrain, 396

Isotope Analysis
Design Scenario for the Radioisotopic Estimation of the Biogenic Component of Airborne Particles, 600

Kinetic Studies
Modeling of Gas-Phase Photodegradation of Chloroform and Carbon Tetrachloride, 1281

Landfills
Comparison of Aerobic and Anaerobic Biotreatment of Municipal Solid Waste, 815

Lidar
On-Road Vehicle Particulate Matter and Gaseous Emission Distributions in Las Vegas, Nevada, Compared with Other Areas, 711

Light Scattering
Variation of Mass Scattering Efficiencies in IMPROVE, 926

Limestone Extraction Area
Assessment of Influential Range and Characteristics of Fugitive Dust in Limestone Extraction Processes, 141

Long-Range Transport
Determination of the Source Areas Contributing to Regionally High Warm Season $PM_{2.5}$ in Eastern North America, 1162

Long-Term Monitoring
Field Validation of an Active Sampling Cartridge as a Passive Sampler for Long-Term Carbonyl Monitoring, 419

Lubricants
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model-Year Gasoline Vehicles, 258

Management Strategies
Photochemical Smog Modeling for Assessment of Potential Impacts of Different Management Stategies on Air Quality of the Bangkok Metropolitan Region, Thailand, 1321

Manganese and Lead Disposition
Manganese Content of *Tradescancia* Species Exposed to Automotive Combustion of Methylcyclopentadienyl Manganese Tricarbonyl in Urban and Rural Landscapes, 181

Marine Boundary Layer
Innovative Methods for Emission Inventory Development and Evaluation: Workshop Summary, 1422

Materials Separation
Recycling in a Megacity, 389

Measurement Techniques
Determination of Levoglucosan in Atmospheric Fine Particulate Matter, 689
Laboratory Characterization of Modified Tapered Element Oscillating Microbalance Samplers, 1254
Long-Term Field Characterization of Tapered Element Oscillating Microbalance and Modified Tapered Element Oscillating Microbalance Samplers in Urban and Rural New York State Locations, 1264
Quantification of Highway Vehicle Emissions Hot Spots Based upon On-Board Measurements, 130
Regulatory Off-Gas Analysis from the Evaporation of Hanford Simulated Waste Spiked with Organic Compounds, 1242

Megacities
2004 Critical Review: Megacities and Atmospheric Pollution, 644
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226
Recycling in a Megacity, 389

Mercury
An Assessment of the Significance of Mercury Release from Coal Fly Ash, 320
Development of Probabilistic Emission Inventories of Air Toxics for Jacksonville, Florida, 1405
Gas-Phase Mercury Reduction to Measure Total Mercury in the Flue Gas of a Coal-Fired Boiler, 60
A Mechanistic Model for Mercury Capture with In Situ-Generated Titania Particles: Role of Water Vapor, 149

Mercury Analyzer
Gas-Phase Mercury Reduction to Measure Total Mercury in the Flue Gas of a Coal-Fired Boiler, 60

Mercury CEMS
Gas-Phase Mercury Reduction to Measure Total Mercury in the Flue Gas of a Coal-Fired Boiler, 60

Mercury Speciation
Investigation of Selective Catalytic Reduction Impact on Mercury Speciation under Simulated NO_x Emission Control Conditions, 1560

Meteorological Conditions
Combining Neural Network Models to Predict Spatial Patterns of Airborne Pollutant Accumulation in Soils around an Industrial Point Emission Source, 1506
Innovative Methods for Emission Inventory Development and Evaluation: Workshop Summary, 1422

Meteorological Effects
Trends in Concentration of Ground-Level Ozone and Meteorological Conditions during High Ozone Episodes in the Kao-Ping Airshed, Taiwan, 36

Methane
Performance of an Innovative Two-Stage Process Converting Food Waste to Hydrogen and Methane, 242

Methyl Tertiary Butyl Ether (MTBE)
Remediation of MTBE from Drinking Water: Air Stripping Followed by Off-Gas Adsorption, 529

Metropolitan Areas
2004 Critical Review: Megacities and Atmospheric Pollution, 644
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226

MMT
Manganese Content of *Tradescancia* Species Exposed to Automotive Combustion of Methylcyclopentadienyl Manganese Tricarbonyl in Urban and Rural Landscapes, 181

MOBILE6
Mobile Source Emission Inventories—Monthly or Annual Average Inputs to MOBILE6?, 1006

Mobile Sources
Contribution of Vehicle Emissions from an Attached Garage to Residential Indoor Air Pollution Levels, 563
Evaluation of Vacuum and Wet-Wipe Methods for Removal of World Trade Center Dust from Indoor Environments, 1293
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model-Year Gasoline Vehicles, 258
Mobile Source Emission Inventories—Monthly or Annual Average Inputs to MOBILE6? 1006
Quantification of Highway Vehicle Emissions Hot Spots Based upon On-Board Measurements, 130
A Quantitative Description of Vehicle Exhaust Particle Size Distributions in a Highway Tunnel, 360
Real-World Vehicle Emissions: A Summary of the Thirteenth Coordinating Research Council On-Road Vehicle Emissions Workshop, 8
Use of the Light Absorption Coefficient to Monitor Elemental Carbon and $PM_{2.5}$—Example of Santiago de Chile, 799

Model Calculations
Characterization of Carbon Nanoparticles in Ambient Aerosols by Scanning Electron Microscopy and Model Calculations, 1091

Model Evaluation
Application and Evaluation of Two Air Quality Models for Particulate Matter for a Southeastern U.S. Episode, 1478

Modeling
Combining Neural Network Models to Predict Spatial Patterns of Airborne Pollutant Accumulation in Soils around an Industrial Point Emission Source, 1506
Contribution of Vehicle Emissions from an Attached Garage to Residential Indoor Air Pollution Levels, 563
Design and Performance Characterization Strategy Using Modeling for Biofiltration Control of Odorous Hydrogen Sulfide, 834
Evaluation of Vacuum and Wet-Wipe Methods for Removal of World Trade Center Dust from Indoor Environments, 1293
Measurement and Analysis of the Relationship between Ammonia, Acid Gases, and Fine Particles in Eastern North Carolina, 623
Outdoor Versus Indoor Contributions to Indoor Particulate Matter (PM) Determined by Mass Balance Methods, 1188
Ozone and Other Air Quality-Related Variables Affecting Visibility in the Southeast United States, 681
Real-Time Ozone Mapping Using a Regression-Interpolation Hybrid Approach, Applied to Tucson, Arizona, 914
Real-World Vehicle Emissions: A Summary of the Thirteenth Coordinating Research Council On-Road Vehicle Emissions Workshop, 8
Simulating Urban-Scale Air Pollutants and Their Predicting Capabilities over the Seoul Metropolitan Area, 695
Understanding the Effectiveness of Precursor Reductions in Lowering 8-Hr Ozone Concentrations—Part II. The Eastern United States, 1452
Use of Noise Attenuation Modeling in Managing Missile Motor Detonation Activities, 342

Modes
Roadside Particle Number Distributions and Relationships between Number Concentrations, Meteorology, and Traffic along a Northern California Freeway, 540

Monitoring
Development and Application of Protocols for the Determination of Response of Real-Time Particle Monitors to Common Indoor Aerosols, 229
Development of a Hazardous Air Pollutants Monitoring Program Using the Data Quality Objectives Process, 614
Hourly and Daily Patterns of Particle-Phase Organic and Elemental Carbon Concentrations in the Urban Atmosphere, 823
Loss of Particle Nitrate from Teflon Sampling Filters: Effects on Measured Gravimetric Mass in California and in the IMPROVE Network, 93
Measuring Visual Opacity Using Digital Imaging Technology, 296
Near-Field Dispersion Modeling for Regulatory Applications, 473
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207
Prediction of the Vertical Profile of Ozone Based on Ground-Level Ozone Observations and Cloud Cover, 483
Recommendations on the Use of Satellite Remote-Sensing Data for Urban Air Quality, 1360
Semicontinuous $PM_{2.5}$ Sulfate and Nitrate Measurements at an Urban and a Rural Location in New York: PMTACS-NY Summer 2001 and 2002 Campaigns, 1040
Urban Air Pollution Monitoring and Correlation Properties between Fixed-Site Stations, 1236

Monitoring Data
Prediction of the Vertical Profile of Ozone Based on Ground-Level Ozone Observations and Cloud Cover, 483

Morphology
A Methodology to Establish the Morphology of Ambient Aerosols, 1069

Motor Vehicle Emissions
A Quantitative Description of Vehicle Exhaust Particle Size Distributions in a Highway Tunnel, 360

Motor Vehicles
Deposition and Removal of Fugitive Dust in the Arid Southwestern United States: Measurements and Model Results, 1099
Development of the IM147: An Alternative Inspection/Maintenance Mass-Emission Transient Test to Address Vehicle Preconditioning Concerns, 269
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model–Year Gasoline Vehicles, 258
Method for Reporting In-Use Vehicle Fuel Consumption and Carbon Dioxide Emissions from a Fast-Pass Transient Inspection, 593
Quantification of Highway Vehicle Emissions Hot Spots Based upon On-Board Measurements, 130

Municipal Solid Waste
An Optimal Model and Its Application for the Management of Municipal Solid Waste from Regional Small Cities in China, 191
Recycling in a Megacity, 389

NAAQS
Loss of Particle Nitrate from Teflon Sampling Filters: Effects on Measured Gravimetric Mass in California and in the IMPROVE Network, 93

New York City
Recycling in a Megacity, 389

Nitrogen Dioxide
Field Method Comparison between Passive Air Samplers and Continuous Monitors for VOCs and NO_2 in El Paso, Texas, 307
Quantification of Highway Vehicle Emissions Hot Spots Based upon On-Board Measurements, 130
Simultaneous Removal of Nitrogen Oxide/Nitrogen Dioxide/Sulfur Dioxide from Gas Streams by Combined Plasma Scrubbing Technology, 941

Nitrogen Oxides
Mobile Source Emission Inventories—Monthly or Annual Average Inputs to MOBILE6?, 1006
Trends in Concentration of Ground-Level Ozone and Meteorological Conditions during High Ozone Episodes in the Kao-Ping Airshed, Taiwan, 36

Nitrous Oxide
Simultaneous Removal of Nitrogen Oxide/Nitrogen Dioxide/Sulfur Dioxide from Gas Streams by Combined Plasma Scrubbing Technology, 941

Non-Methane Organic Gases
Contribution of Vehicle Emissions from an Attached Garage to Residential Indoor Air Pollution Levels, 563

Observational Nudging
Simulating Urban-Scale Air Pollutants and Their Predicting Capabilities over the Seoul Metropolitan Area, 695

OC Blank
A Simple Model for Estimating Emissions of Volatile Organic Compounds from Grass and Cut Grass in Urban Airsheds and Its Application to Two Australian Cities, 1299

Occupant Symptoms
The Indoor Environmental Index and Its Relationship with Symptoms of Office Building Occupants, 1440

Odors
Design and Performance Characterization Strategy Using Modeling for Biofiltration Control of Odorous Hydrogen Sulfide, 834
Effect of Substrate Henry's Constant on Biofilter Performance, 409
Kinetic Evaluation of H_2S and NH_3 Biofiltration for Two Media Used for Wastewater Lift Station Emissions, 24
Occurrence and Abatement of Volatile Sulfur Compounds during Biogas Production, 855
Operational Characteristics of Effective Removal of H_2S and NH_3 Waste Gases by Activated Carbon Biofilter, 450
Selective Catalytic Oxidation of Ammonia over Copper-Cerium Composite Catalyst, 68

Ogawa Sampler
Field Method Comparison between Passive Air Samplers and Continuous Monitors for VOCs and NO_2 in El Paso, Texas, 307

Oil
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model–Year Gasoline Vehicles, 258

Oil Sulfur
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model–Year Gasoline Vehicles, 258

Opacity
Measuring Visual Opacity Using Digital Imaging Technology, 296
Use of the Light Absorption Coefficient to Monitor Elemental Carbon and $PM_{2.5}$—Example of Santiago de Chile, 799

Optimal Model
An Optimal Model and Its Application for the Management of Municipal Solid Waste from Regional Small Cities in China, 191

Organic Vapor Monitor (OVM)
Field Method Comparison between Passive Air Samplers and Continuous Monitors for VOCs and NO_2 in El Paso, Texas, 307

Oxidized Mercury
Investigation of Selective Catalytic Reduction Impact on Mercury Speciation under Simulated NO_x Emission Control Conditions, 1560

Oxygenates
Remediation of MTBE from Drinking Water: Air Stripping Followed by Off-Gas Adsorption, 529

Oxygen Limitation
Effect of Substrate Henry's Constant on Biofilter Performance, 409

Ozone
An Operational Assessment of the Application of the Relative Reduction Factors in the Demonstration of Attainment of the 8-Hr Ozone National Ambient Air Quality Standard, 950
Effect of Advanced Oxidants Generated Via Ultraviolet Light on a Sequentially Loaded and Regenerated Granular Activated Carbon Biofilter, 871
Indoor Fine Particles: The Role of Terpene Emissions from Consumer Products, 367
Innovative Methods for Emission Inventory Development and Evaluation: Workshop Summary, 1422
Outdoor/Indoor/Personal Ozone Exposures of Children in Nashville, Tennessee, 352
Ozone Measurements in South Carolina Using Passive Samplers, 1312

Prediction of the Vertical Profile of Ozone Based on Ground-Level Ozone Observations and Cloud Cover, 483
Trends in Concentration of Ground-Level Ozone and Meteorological Conditions during High Ozone Episodes in the Kao-Ping Airshed, Taiwan, 36
Trends in Meteorologically Adjusted Ozone Concentrations in Six Kentucky Metro Areas, 1998–2002, 1383
Understanding the Effectiveness of Precursor Reductions in Lowering 8-Hr Ozone Concentrations—Part II. The Eastern United States, 1452

Ozone Forecasting
Forecasting Daily Maximum Surface Ozone Concentrations in Brunei Darussalam—An ARIMA Modeling Approach, 809

Ozone Tropospheric
Ozone and Other Air Quality-Related Variables Affecting Visibility in the Southeast United States, 681

Particle Composition
Design Scenario for the Radioisotopic Estimation of the Biogenic Component of Airborne Particles, 600

Particles
Development and Application of Protocols for the Determination of Response of Real-Time Particle Monitors to Common Indoor Aerosols, 229

Particle Size Distributions
A Quantitative Description of Vehicle Exhaust Particle Size Distributions in a Highway Tunnel, 360

Particulate Matter
Analysis of $PM_{2.5}$ and PM_{10} in the Atmosphere of Mexico City during 2000–2002, 786
Associations and Lags between Air Pollution and Acute Respiratory Visits in an Ambulatory Care Setting: 25-Month Results from the Aerosol Research and Inhalation Epidemiological Study, 1212
Associations between Particle Number and Gaseous Co-Pollutant Concentrations in the Los Angeles Basin, 992
Characterization of Ultrafine Particle Number Concentration and Size Distribution During a Summer Campaign in Southwest Detroit, 1079
Characterization of Visibility Impacts Related to Fine Particulate Matter in Canada, 1061
Comparisons of the Dust/Smoke Particulate that Settled Inside the Surrounding Buildings and Outside on the Streets of Southern New York City after the Collapse of the World Trade Center, September 11, 2001, 515
Determination of the Source Areas Contributing to Regionally High Warm Season $PM_{2.5}$ in Eastern North America, 1162
Emission Rates and Comparative Chemical Composition from Selected In-Use Diesel and Gasoline-Fueled Vehicles, 1138
Estimated Hourly Personal Exposures to Ambient and Nonambient Particulate Matter Among Sensitive Populations in Seattle, Washington, 1197
Evaluation of Catalyzed and Electrically Heated Filters for Removal of Particulate Emissions from Diesel-A- and JP-8-Fueled Engines, 83
Mixed-Model Statistical Analysis of Fuel, Equipment, Mileage, and Driving Schedule Effects on Particulate Matter Emissions from Heavy Diesel-Powered Vehicles, 1151
One-Year Study of the Elemental Composition and Source Apportionment of PM_{10} Aerosols in Florence, Italy, 1372
Outdoor Versus Indoor Contributions to Indoor Particulate Matter (PM) Determined by Mass Balance Methods, 1188
The Relationship between Real-Time and Time-Integrated Coarse (2.5–10 μm), Intermodal (1–2.5 μm), and Fine (<2.5 μm) Particulate Matter in the Los Angeles Basin, 1029
A Review of Effects and Control Methods of Particulate Matter in Animal Indoor Environments, 844
A Simple Model for Estimating Emissions of Volatile Organic Compounds from Grass and Cut Grass in Urban Airsheds and Its Application to Two Australian Cities, 1299

Particulate Measurements
Analysis of $PM_{2.5}$ and PM_{10} in the Atmosphere of Mexico City during 2000–2002, 786

Partition Constants
Vapor-Phase Transport of Explosives from Buried Sources in Soils, 1525

Passive Samplers
Field Method Comparison between Passive Air Samplers and Continuous Monitors for VOCs and NO_2 in El Paso, Texas, 307
Field Validation of an Active Sampling Cartridge as a Passive Sampler for Long-Term Carbonyl Monitoring, 419
Outdoor/Indoor/Personal Ozone Exposures of Children in Nashville, Tennessee, 352
Ozone Measurements in South Carolina Using Passive Samplers, 1312

Permiability
Geotechnical Engineering Properties of Incinerator Ash Mixes, 985

Perovskite-Type Oxide Catalyst
Catalytic Destruction of Dichloromethane Using Perovskite-Type Oxide Catalysts, 727

Pheonol
Evaluation of Relative Photonic Efficiency in Heterogeneous Photocatalytic Reactors, 77

Photocatalyst
Evaluation of Relative Photonic Efficiency in Heterogeneous Photocatalytic Reactors, 77

Photochemical Modeling
An Operational Assessment of the Application of the Relative Reduction Factors in the Demonstration of Attainment of the 8-Hr Ozone National Ambient Air Quality Standard, 950

Photochemical Smog
Photochemical Smog Modeling for Assessment of Potential Impacts of Different Management Stategies on Air Quality of the Bangkok Metropolitan Region, Thailand, 1321

Photochemistry
Prediction of the Vertical Profile of Ozone Based on Ground-Level Ozone Observations and Cloud Cover, 483

Photonic Efficiency
Evaluation of Relative Photonic Efficiency in Heterogeneous Photocatalytic Reactors, 77

Photooxidation
Modeling of Gas-Phase Photodegradation of Chloroform and Carbon Tetrachloride, 1281

PIXE
Atmospheric Concentrations of $PM_{2.5}$ Trace Elements in the Seoul Urban Area of South Korea, 432

One-Year Study of the Elemental Composition and Source Apportionment of PM_{10} Aerosols in Florence, Italy, 1372

Plasma Systems
Abatement of Sulfur Hexafluoride Emissions from the Semiconductor Manufacturing Process by Atmospheric-Pressure Plasmas, 960

$PM_{2.5}$
Aerosol Ion Characteristics During the Big Bend Regional Aerosol and Visibility Observational Study, 585
Analysis of $PM_{2.5}$ and PM_{10} in the Atmosphere of Mexico City during 2000–2002, 786
Assessing Source Characteristics of $PM_{2.5}$ in the Eastern United States Using Positive Matrix Factorization, 1170
Chemical Composition of Post-Harvest Biomass Burning Aerosols in Gwangju, Korea, 1124
Chemical Speciation of $PM_{2.5}$ Collected during Prescribed Fires of the Coconino National Forest near Flagstaff, Arizona, 1112
Determination of the Source Areas Contributing to Regionally High Warm Season $PM_{2.5}$ in Eastern North America, 1162
Differential Pulmonary Inflammation and In Vitro Cytotoxicity of Size-Fractionated Fly Ash Particles from Pulverized Coal Combustion, 286
Laboratory Characterization of Modified Tapered Element Oscillating Microbalance Samplers, 1254
Long-Term Field Characterization of Tapered Element Oscillating Microbalance and Modified Tapered Element Oscillating Microbalance Samplers in Urban and Rural New York State Locations, 1264
A Methodology to Establish the Morphology of Ambient Aerosols, 1069
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207
The Regional Nature of $PM_{2.5}$ Episodes in the Upper Ohio River Valley, 971
The Relationship between Real-Time and Time-Integrated Coarse (2.5–10 μm), Intermodal (1–2.5 μm), and Fine (<2.5 μm) Particulate Matter in the Los Angeles Basin, 1029
Semicontinuous $PM_{2.5}$ Sulfate and Nitrate Measurements at an Urban and a Rural Location in New York: PMTACS-NY Summer 2001 and 2002 Campaigns, 1040
A Simple Model for Estimating Emissions of Volatile Organic Compounds from Grass and Cut Grass in Urban Airsheds and Its Application to Two Australian Cities, 1299
Source Apportionment of Indoor, Outdoor, and Personal $PM_{2.5}$ in Seattle, Washington, Using Positive Matrix Factorization, 1175
Spatial Variability of $PM_{2.5}$ in Urban Areas in the United States, 440

$PM_{2.5-10}$
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207

PM_{10}
Analysis of $PM_{2.5}$ and PM_{10} in the Atmosphere of Mexico City during 2000–2002, 786
Deposition and Removal of Fugitive Dust in the Arid Southwestern United States: Measurements and Model Results, 1099
Determination of Levoglucosan in Atmospheric Fine Particulate Matter, 689
One-Year Study of the Elemental Composition and Source Apportionment of PM_{10} Aerosols in Florence, Italy, 1372
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207
Study on the Effect of Iron on PM_{10} Formation and Design of a Particle-Generating System Using a Cocentric Diffusion Burner Flame, 898
Use of the Light Absorption Coefficient to Monitor Elemental Carbon and $PM_{2.5}$—Example of Santiago de Chile, 799

$PMCAM_x$
Application and Evaluation of Two Air Quality Models for Particulate Matter for a Southeastern U.S. Episode, 1478

PM Modeling
Application and Evaluation of Two Air Quality Models for Particulate Matter for a Southeastern U.S. Episode, 1478

Policy Decision Making
Recommendations on the Use of Satellite Remote-Sensing Data for Urban Air Quality, 1360
Recycling in a Megacity, 389

Pollutant Concentration
2004 Critical Review: Megacities and Atmospheric Pollution, 644
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226
Differential Pulmonary Inflammation and In Vitro Cytotoxicity of Size-Fractionated Fly Ash Particles from Pulverized Coal Combustion, 286
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207

Pollution Prevention
Carbon Monoxide Concentration Forecasting in Santiago, Chile, 908

Polychlorinated Dibenzo Furans
Regulatory Off-Gas Analysis from the Evaporation of Hanford Simulated Waste Spiked with Organic Compounds, 1242

Polychlorinated Dibenzo P-dioxines
Regulatory Off-Gas Analysis from the Evaporation of Hanford Simulated Waste Spiked with Organic Compounds, 1242

Polycyclic Aromatic Hydrocarbons
Development and Application of Protocols for the Determination of Response of Real-Time Particle Monitors to Common Indoor Aerosols, 229
Evaluation of Catalyzed and Electrically Heated Filters for Removal of Particulate Emissions from Diesel-A- and JP-8-Fueled Engines, 83
Uptake of Aromatic Hydrocarbon Vapors (Benzene and Phenanthrene) at the Air-Water Interface of Micron-Size Water Droplets, 1550

Positive Matrix Factorization
Assessing Source Characteristics of $PM_{2.5}$ in the Eastern United States Using Positive Matrix Factorization, 1170
A Simple Model for Estimating Emissions of Volatile Organic Compounds from Grass and Cut Grass in Urban Airsheds and Its Application to Two Australian Cities, 1299
Source Apportionment of Fine Particles in Washington, DC, Utilizing Temperature-Resolved Carbon Fractions, 773

Powdered Activated Carbon
Preparation of Sulfurized Powdered Activated Carbon from Waste Tires Using an Innovative Compositive Impregnation Process, 862

Power Plants
Emissions of Sulfur Trioxide from Coal-Fired Power Plants, 750

PRB Coal
Supply Curves for Using Powder River Basin Coal to Reduce Sulfur Emissions, 741

Predicting Capability
Simulating Urban-Scale Air Pollutants and Their Predicting Capabilities over the Seoul Metropolitan Area, 695

Principal Component Analysis
Source Characterization of Atmospheric Heavy Metals in Industrial/Residential Areas: A Case Study in Oman, 425

Probit Relations
A Risk-Based Model to Establish Threshold Planning Quantities of Hazardous Substances, 495

PVC
Emission Characteristics of PCDD/Fs, PCBs, Chlorobenzenes, Chlorophenols, and PAHs from Polyvinylchloride Combustion at Various Temperatures, 555

Pyrolysis and Activation
Preparation of Sulfurized Powdered Activated Carbon from Waste Tires Using an Innovative Compositive Impregnation Process, 862

Radiative Forcing
Uncertainty Requirements in Radiative Forcing of Climate Change, 1351

Radon
Innovative Methods for Emission Inventory Development and Evaluation: Workshop Summary, 1422

Real-Time
Real-Time Ozone Mapping Using a Regression-Interpolation Hybrid Approach, Applied to Tucson, Arizona, 914

Recycling
Hydration Properties of Eco-Cement Pastes from Waste Sludge Ash Clinkers, 1534
Recycling in a Megacity, 389

Reduction
Removal of NO_x from Flue Gas with Iron Filings Reduction Following Complexing Absorption in Ferrous Chelates Aqueous Solutions, 1543

Refinery
Evaluation of the Industrial Source Complex Short-Term Model: Dispersion over Terrain, 396

Regression Mode
Prediction of the Vertical Profile of Ozone Based on Ground-Level Ozone Observations and Cloud Cover, 483
Real-Time Ozone Mapping Using a Regression-Interpolation Hybrid Approach, Applied to Tucson, Arizona, 914

Regulations
An Analysis of Candidates for Addition to the Clean Air Act List of Hazardous Air Pollutants, 157

Relative Reduction Factor (RRF)
An Operational Assessment of the Application of the Relative Reduction Factors in the Demonstration of Attainment of the 8-Hr Ozone National Ambient Air Quality Standard, 950

Remote Sensing
On-Road Vehicle Particulate Matter and Gaseous Emission Distributions in Las Vegas, Nevada, Compared with Other Areas, 711

Removal Efficiency
Removal of Ultrafine and Fine Particulate Matter from Air by a Granular Bed Filter, 935

Residences
Contribution of Vehicle Emissions from an Attached Garage to Residential Indoor Air Pollution Levels, 563

Respirable Suspended Particulate Matter
Development and Application of Protocols for the Determination of Response of Real-Time Particle Monitors to Common Indoor Aerosols, 229

Respiratory Health
Associations and Lags between Air Pollution and Acute Respiratory Visits in an Ambulatory Care Setting: 25-Month Results from the Aerosol Research and Inhalation Epidemiological Study, 1212
Compartmental Human Respiratory Tract Modeling of Airborne Dust Exposure from Feeding in Swine Buildings, 331

Risk Ranking
An Analysis of Candidates for Addition to the Clean Air Act List of Hazardous Air Pollutants, 157
A Risk-Based Model to Establish Threshold Planning Quantities of Hazardous Substances, 495

Rural Sites
Manganese Conent of *Tradescancia* Species Exposed to Automotive Combustion of Methylcyclopentadienyl Manganese Tricarbonyl in Urban and Rural Landscapes, 181

Samplers
Field Method Comparison between Passive Air Samplers and Continuous Monitors for VOCs and NO_2 in El Paso, Texas, 307
Loss of Particle Nitrate from Teflon Sampling Filters: Effects on Measured Gravimetric Mass in California and in the IMPROVE Network, 93

Satellite Remote Sensing
Recommendations on the Use of Satellite Remote-Sensing Data for Urban Air Quality, 1360

Scrubbers
Droplet Charging for Wet Scrubbers, 3
Occurrence and Abatement of Volatile Sulfur Compounds during Biogas Production, 855

Seasonal Effects
Long-Term Field Characterization of Tapered Element Oscillating Microbalance and Modified Tapered Element Oscillating Microbalance Samplers in Urban and Rural New York State Locations, 1264
Trends in Concentration of Ground-Level Ozone and Meteorological Conditions during High Ozone Episodes in the Kao-Ping Airshed, Taiwan, 36

Secondary Aerosols
Indoor Fine Particles: The Role of Terpene Emissions from Consumer Products, 367

Selective Catalytic Reduction
Investigation of Selective Catalytic Reduction Impact on Mercury Speciation under Simulated NO_x Emission Control Conditions, 1560

Semiconductor Manufacturing
Inorganic Acid Emission Factors of Semiconductor Manufacturing Processes, 218

Semi-Volatile Organic Compounds
Emission Rates and Comparative Chemical Composition from Selected In-Use Diesel and Gasoline-Fueled Vehicles, 1138

Sensitive Populations (COPD)
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207

Seoul
Atmospheric Concentrations of $PM_{2.5}$ Trace Elements in the Seoul Urban Area of South Korea, 432

Size Distribution
Roadside Particle Number Distributions and Relationships between Number Concentrations, Meteorology, and Traffic along a Northern California Freeway, 540
Variation of Mass Scattering Efficiencies in IMPROVE, 926

Small Cities
An Optimal Model and Its Application for the Management of Municipal Solid Waste from Regional Small Cities in China, 191

Small Engines
Emissions and Demonstration of an Emission Control Technology for Small Two-Stroke Utility Engines, 200

Smoke
Comparisons of the Dust/Smoke Particulate that Settled Inside the Surrounding Buildings and Outside on the Streets of Southern New York City after the Collapse of the World Trade Center, September 11, 2001, 515

Sohar Industrial Estate
Source Characterization of Atmospheric Heavy Metals in Industrial/Residential Areas: A Case Study in Oman, 425

Soil and Grass Chemistry
Manganese Content of *Tradescancia* Species Exposed to Automotive Combustion of Methylcyclopentadienyl Manganese Tricarbonyl in Urban and Rural Landscapes, 181

Solar Radiation
Roadside Particle Number Distributions and Relationships between Number Concentrations, Meteorology, and Traffic along a Northern California Freeway, 540

Solid Waste
Comparison of Aerobic and Anaerobic Biotreatment of Municipal Solid Waste, 815

Soot
Hourly and Daily Patterns of Particle-Phase Organic and Elemental Carbon Concentrations in the Urban Atmosphere, 823
Study on the Effect of Iron on PM_{10} Formation and Design of a Particle-Generating System Using a Cocentric Diffusion Burner Flame, 898

Source Apportionment
A Simple Model for Estimating Emissions of Volatile Organic Compounds from Grass and Cut Grass in Urban Airsheds and Its Application to Two Australian Cities, 1299
Source Apportionment of Fine Particles in Washington, DC, Utilizing Temperature-Resolved Carbon Fractions, 773

Source Control
A Review of Effects and Control Methods of Particulate Matter in Animal Indoor Environments, 844

Source Identification
Design Scenario for the Radioisotopic Estimation of the Biogenic Component of Airborne Particles, 600

Source Profiles
Contribution of Vehicle Emissions from an Attached Garage to Residential Indoor Air Pollution Levels, 563
A Simple Model for Estimating Emissions of Volatile Organic Compounds from Grass and Cut Grass in Urban Airsheds and Its Application to Two Australian Cities, 1299
Source Apportionment of Indoor, Outdoor, and Personal $PM_{2.5}$ in Seattle, Washington, Using Positive Matrix Factorization, 1175

Source-Receptor Analysis
Determination of the Source Areas Contributing to Regionally High Warm Season $PM_{2.5}$ in Eastern North America, 1162

Southern Oxidants Study
Outdoor/Indoor/Personal Ozone Exposures of Children in Nashville, Tennessee, 352

Speciation
Hydration Properties of Eco-Cement Pastes from Waste Sludge Ash Clinkers, 1534

Speciation Trends Network
A Simple Model for Estimating Emissions of Volatile Organic Compounds from Grass and Cut Grass in Urban Airsheds and Its Application to Two Australian Cities, 1299

Statewide Measurements
Ozone Measurements in South Carolina Using Passive Samplers, 1312

Stationary Sources
Selective Catalytic Oxidation of Ammonia over Copper-Cerium Composite Catalyst, 68

Statistical Performance
Simulating Urban-Scale Air Pollutants and Their Predicting Capabilities over the Seoul Metropolitan Area, 695

Stochastic Modeling
Forecasting Daily Maximum Surface Ozone Concentrations in Brunei Darussalam—An ARIMA Modeling Approach, 809

Strength
Geotechnical Engineering Properties of Incinerator Ash Mixes, 985

Sulfur Content
Preparation of Sulfurized Powdered Activated Carbon from Waste Tires Using an Innovative Compositive Impregnation Process, 862

Sulfur Dioxide
Evaluation of the Industrial Source Complex Short-Term Model: Dispersion over Terrain, 396
Simultaneous Removal of Nitrogen Oxide/Nitrogen Dioxide/Sulfur Dioxide from Gas Streams by Combined Plasma Scrubbing Technology, 941

Sulfur Emissions
Supply Curves for Using Powder River Basin Coal to Reduce Sulfur Emissions, 741

Sulfur Trioxide
Emissions of Sulfur Trioxide from Coal-Fired Power Plants, 750

Sultanate of Oman
Source Characterization of Atmospheric Heavy Metals in Industrial/Residential Areas: A Case Study in Oman, 425

Supply Curves
Supply Curves for Using Powder River Basin Coal to Reduce Sulfur Emissions, 741

Sustainable Development
Method for Reporting In-Use Vehicle Fuel Consumption and Carbon Dioxide Emissions from a Fast-Pass Transient Inspection, 593

Temperature
Emission Characteristics of PCDD/Fs, PCBs, Chlorobenzenes, Chlorophenols, and PAHs from Polyvinylchloride Combustion at Various Temperatures, 555

Terpenes
Indoor Fine Particles: The Role of Terpene Emissions from Consumer Products, 367

Terrain
Evaluation of the Industrial Source Complex Short-Term Model: Dispersion over Terrain, 396

Testing
Development of the IM147: An Alternative Inspection/Maintenance Mass-Emission Transient Test to Address Vehicle Preconditioning Concerns, 269

Thermal Optical Method
Source Apportionment of Fine Particles in Washington, DC, Utilizing Temperature-Resolved Carbon Fractions, 773

Thermal Treatment
Selective Catalytic Oxidation of Ammonia over Copper-Cerium Composite Catalyst, 68

Threshold Planning Quantity
A Risk-Based Model to Establish Threshold Planning Quantities of Hazardous Substances, 495

Time-Series
Forecasting Daily Maximum Surface Ozone Concentrations in Brunei Darussalam—An ARIMA Modeling Approach, 809

Total Suspended Particulate Matter (TSP)
Source Characterization of Atmospheric Heavy Metals in Industrial/Residential Areas: A Case Study in Oman, 425

Toxic Air Pollutants
An Analysis of Candidates for Addition to the Clean Air Act List of Hazardous Air Pollutants, 157
Determination of Acute Exposure Guideline Levels in a Dispersion Model, 49
Kinetic Evaluation of H_2S and NH_3 Biofiltration for Two Media Used for Wastewater Lift Station Emissions, 24

Toxic Gases
Kinetic Evaluation of H_2S and NH_3 Biofiltration for Two Media Used for Wastewater Lift Station Emissions, 24
Operational Characteristics of Effective Removal of H_2S and NH_3 Waste Gases by Activated Carbon Biofilter, 450

Toxic Metals
Combining Neural Network Models to Predict Spatial Patterns of Airborne Pollutant Accumulation in Soils around an Industrial Point Emission Source, 1506
A Mechanistic Model for Mercury Capture with In Situ-Generated Titania Particles: Role of Water Vapor, 149

Toxicology
Differential Pulmonary Inflammation and In Vitro Cytotoxicity of Size-Fractionated Fly Ash Particles from Pulverized Coal Combustion, 286

Trace Elements
Manganese Content of *Tradescancia* Species Exposed to Automotive Combustion of Methylcyclopentadienyl Manganese Tricarbonyl in Urban and Rural Landscapes, 181

Tracers
Near-Field Dispersion Modeling for Regulatory Applications, 473

Trajectory Analysis
Determination of the Source Areas Contributing to Regionally High Warm Season $PM_{2.5}$ in Eastern North America, 1162

Transport
The Regional Nature of $PM_{2.5}$ Episodes in the Upper Ohio River Valley, 971

Treatment Technologies
Effect of Substrate Henry's Constant on Biofilter Performance, 409

Trend Analysis
Temporal Variation in Daily Concentrations of Ozone and Acid-Related Substances at Saturna Island, British Columbia, 459
Trends in Meteorologically Adjusted Ozone Concentrations in Six Kentucky Metro Areas, 1998–2002, 1383
Understanding the Effectiveness of Precursor Reductions in Lowering 8-Hr Ozone Concentrations—Part II. The Eastern United States, 1452

Tropical
Innovative Methods for Emission Inventory Development and Evaluation: Workshop Summary, 1422

Tropospheric
Innovative Methods for Emission Inventory Development and Evaluation: Workshop Summary, 1422
Trends in Meteorologically Adjusted Ozone Concentrations in Six Kentucky Metro Areas, 1998–2002, 1383

Two-Stage Process
Performance of an Innovative Two-Stage Process Converting Food Waste to Hydrogen and Methane, 242

Two-Stroke Engines
Emissions and Demonstration of an Emission Control Technology for Small Two-Stroke Utility Engines, 200

UAM-V
Photochemical Smog Modeling for Assessment of Potential Impacts of Different Management Stategies on Air Quality of the Bangkok Metropolitan Region, Thailand, 1321

Ultrafine and Nano Particles
Roadside Particle Number Distributions and Relationships between Number Concentrations, Meteorology, and Traffic along a Northern California Freeway, 540

Ultrafine Particles
A Quantitative Description of Vehicle Exhaust Particle Size Distributions in a Highway Tunnel, 360
Removal of Ultrafine and Fine Particulate Matter from Air by a Granular Bed Filter, 935

Unexploded Ordnance
Vapor-Phase Transport of Explosives from Buried Sources in Soils, 1525

Upper Ohio River Valley
The Regional Nature of $PM_{2.5}$ Episodes in the Upper Ohio River Valley, 971

Uptake Rate
Field Validation of an Active Sampling Cartridge as a Passive Sampler for Long-Term Carbonyl Monitoring, 419

Uptake of Aromatic Hydrocarbon Vapors (Benzene and Phenanthrene) at the Air-Water Interface of Micron-Size Water Droplets, 1550

Urban Areas
2004 Critical Review: Megacities and Atmospheric Pollution, 644
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226
Spatial Variability of $PM_{2.5}$ in Urban Areas in the United States, 440
Trends in Meteorologically Adjusted Ozone Concentrations in Six Kentucky Metro Areas, 1998–2002, 1383
Urban Air Pollution Monitoring and Correlation Properties between Fixed-Site Stations, 1236

Urbanization
Manganese Content of *Tradescancia* Species Exposed to Automotive Combustion of Methylcyclopentadienyl Manganese Tricarbonyl in Urban and Rural Landscapes, 181

Utilities
Gas-Phase Mercury Reduction to Measure Total Mercury in the Flue Gas of a Coal-Fired Boiler, 60

Vehicle Emissions
Roadside Particle Number Distributions and Relationships between Number Concentrations, Meteorology, and Traffic along a Northern California Freeway, 540

Ventilation
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207
A Review of Effects and Control Methods of Particulate Matter in Animal Indoor Environments, 844

Vertical Ozone Profile
Prediction of the Vertical Profile of Ozone Based on Ground-Level Ozone Observations and Cloud Cover, 483

Vertical Profile
Prediction of the Vertical Profile of Ozone Based on Ground-Level Ozone Observations and Cloud Cover, 483

Vinyl Chloride
Estimation of Vinyl Chloride Emissions from Gasholders and Validation of In Situ Emission Reduction Methods, 172

Visibility
Characterization of Visibility Impacts Related to Fine Particulate Matter in Canada, 1061
Ozone and Other Air Quality-Related Variables Affecting Visibility in the Southeast United States, 681

Volatile Organic Compounds (VOCs)
Catalytic Destruction of Dichloromethane Using Perovskite-Type Oxide Catalysts, 727
Effect of Advanced Oxidants Generated Via Ultraviolet Light on a Sequentially Loaded and Regenerated Granular Activated Carbon Biofilter, 871
Field Method Comparison between Passive Air Samplers and Continuous Monitors for VOCs and NO_2 in El Paso, Texas, 307
Mobile Source Emission Inventories—Monthly or Annual Average Inputs to MOBILE6?, 1006
A New Method for the Rapid Determination of Volatile Organic Compound Breakthrough Times for a Sorbent at Concentrations Relevant to Indoor Air Quality, 105
Occurrence and Abatement of Volatile Sulfur Compounds during Biogas Production, 855
Regulatory Off-Gas Analysis from the Evaporation of Hanford Simulated Waste Spiked with Organic Compounds, 1242
Trends in Concentration of Ground-Level Ozone and Meteorological Conditions during High Ozone Episodes in the Kao-Ping Airshed, Taiwan, 36

Volatilization
Estimation of Vinyl Chloride Emissions from Gasholders and Validation of In Situ Emission Reduction Methods, 172
Vapor-Phase Transport of Explosives from Buried Sources in Soils, 1525

Waste Management
An Assessment of the Significance of Mercury Release from Coal Fly Ash, 320
Recycling in a Megacity, 389

Waste Tires
Preparation of Sulfurized Powdered Activated Carbon from Waste Tires Using an Innovative Compositive Impregnation Process

Waste Treatment
Comparison of Aerobic and Anaerobic Biotreatment of Municipal Solid Waste, 815
Hydration Properties of Eco-Cement Pastes from Waste Sludge Ash Clinkers, 1534
A Mechanistic Model for Mercury Capture with In Situ-Generated Titania Particles: Role of Water Vapor, 149
Recycling in a Megacity, 389
Regulatory Off-Gas Analysis from the Evaporation of Hanford Simulated Waste Spiked with Organic Compounds, 1242

Wastewater Emissions
Kinetic Evaluation of H_2S and NH_3 Biofiltration for Two Media Used for Wastewater Lift Station Emissions, 24

Wet Deposition
Uptake of Aromatic Hydrocarbon Vapors (Benzene and Phenanthrene) at the Air-Water Interface of Micron-Size Water Droplets, 1550

Wood Burning
Chemical Speciation of $PM_{2.5}$ Collected during Prescribed Fires of the Coconino National Forest near Flagstaff, Arizona, 1112

World Trade Center (WTC)
Comparisons of the Dust/Smoke Particulate that Settled Inside the Surrounding Buildings and Outside on the Streets of Southern New York City after the Collapse of the World Trade Center, September 11, 2001, 515

Author Index

Abdul-Wahab, S.A.
Evaluation of the Industrial Source Complex Short-Term Model: Dispersion over Terrain, 396
Source Characterization of Atmospheric Heavy Metals in Industrial/Residential Areas: A Case Study in Oman, 425

Abraham, J.S.
Real-Time Ozone Mapping Using a Regression-Interpolation Hybrid Approach, Applied to Tucson, Arizona, 914

Abu-Allaban, M.
A Quantitative Description of Vehicle Exhaust Particle Size Distributions in a Highway Tunnel, 360

Aggarwal, S.G.
Inorganic Acid Emission Factors of Semiconductor Manufacturing Processes, 218

Ahonen, S.
Deposition and Removal of Fugitive Dust in the Arid Soutwestern United States: Measurements and Model Results, 1099

Allen, R.
Estimated Hourly Personal Exposures to Ambient and Nonambient Particulate Matter Among Sensitive Populations in Seattle, Washington, 1197

Almquist, C.
A Mechanistic Model for Mercury Capture with In Situ–Generated Titania Particles: Role of Water Vapor, 149

Alonso, C.
Effect of Substrate Henry's Constant on Biofilter Performance, 409

Ambs, J.L.
Laboratory Characterization of Modified Tapered Element Oscillating Microbalance Samplers, 1254
Long-Term Field Characterization of Tapered Element Oscillating Microbalance and Modified Tapered Element Oscillating Microbalance Samplers in Urban and Rural New York State Locations, 1264

Anderson, R.R.
The Regional Nature of $PM_{2.5}$ Episodes in the Upper Ohio River Valley, 871

Andersson, F.A.T.
Occurrence and Abatement of Volatile Sulfur Compounds during Biogas Production, 855

Aneja, V.P.
Measurement and Analysis of the Relationship between Ammonia, Acid Gases, and Fine Particles in Eastern North Carolina, 623
Ozone and Other Air Quality-Related Variables Affecting Visibility in the Southeast United States, 681

Arbrandt, M.
Mobile Source Emission Inventories—Monthly or Annual Average Inputs to MOBILE6?, 1006

Ashbaugh, L.L.
Loss of Particle Nitrate from Teflon Sampling Filters: Effects on Measured Gravimetric Mass in California and in the IMPROVE Network, 93

Austin, T.C.
Development of the IM147: An Alternative Inspection/Maintenance Mass-Emission Transient Test to Address Vehicle Preconditioning Concerns, 269

Axelrad, D.A.
An Analysis of Candidates for Addition to the Clean Air Act List of Hazardous Air Pollutants, 157

Bae, M.-S.
Hourly and Daily Patterns of Particle-Phase Organic and Elemental Carbon Concentrations in the Urban Atmosphere, 823

Baek, B.H.
Measurement and Analysis of the Relationship between Ammonia, Acid Gases, and Fine Particles in Eastern North Carolina, 623

Barber, P.W.
On-Road Vehicle Particulate Matter and Gaseous Emission Distributions in Las Vegas, Nevada, Compared with Other Areas, 711

Beard, L.K.
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model-Year Gasoline Vehicles, 258

Bergmann, M.
A New Method for the Rapid Determination of Volatile Organic Compound Breakthrough Times for a Sorbent at Concentrations Relevant to Indoor Air Quality, 105

Bhuie, A.K.
Manganese Content of *Tradescancia* Species Exposed to Automotive Combustion of Methylcyclopentadienyl Manganese Tricarbonyl in Urban and Rural Landscapes, 181

Biswas, P.
A Mechanistic Model for Mercury Capture with In Situ–Generated Titania Particles: Role of Water Vapor, 149
A Methodology to Establish the Morphology of Ambient Aerosols, 1069

Blake, D.M.
A New Method for the Rapid Determination of Volatile Organic Compound Breakthrough Times for a Sorbent at Concentrations Relevant to Indoor Air Quality, 105

Blanchard, C.L.
Understanding the Effectiveness of Precursor Reductions in Lowering 8-Hr Ozone Concentrations—Part II. The Eastern United States, 1452

Borglin, S.E.
Comparison of Aerobic and Anaerobic Biotreatment of Municipal Solid Waste, 815

Boswell, J.
Kinetic Evaluaton of H_2S and NH_3 Biofiltration for Two Media Used for Wastewater Lift Station Emissions, 24

Brannon, J.M.
Vapor-Phase Transport of Explosives from Buried Sources in Soils, 1525

Bretecher, B.
Evaluation of Catalyzed and Electrically Heated Filters for Removal of Particulate Emissions from Diesel-A- and JP-8-Fueled Engines, 83

Brittig, J.S.
Ozone and Other Air Quality-Related Variables Affecting Visibility in the Southeast United States, 681

Brook, J.R.
Determination of the Source Areas Contributing to Regionally High Warm Season $PM_{2.5}$ in Eastern North America, 1162

Buckley, B.
Comparisons of the Dust/Smoke Particulate that Settled Inside the Surrounding Buildings and Outside on the Streets of Southern New York City after the Collapse of the World Trade Center, September 11, 2001, 515

Burdette, M.A.
Regulatory Off-Gas Analysis from the Evaporation of Hanford Simulated Waste Spiked with Organic Compounds, 1242

Cadle, S.H.
Innovative Methods for Emission Inventory Development and Evaluation: Workshop Summary, 1422
Real-World Vehicle Emissions: A Summary of the Thirteenth Coordinating Research Council On-Road Vehicle Emissions Workshop, 8

Calidonna, M.J.
Measuring Visual Opacity Using Digital Imaging Technology, 296

Callahan, K.C.
Evaluation of Vacuum and Wet-Wipe Methods for Removal of World Trade Center Dust from Indoor Environments, 1293

Calloway, T.B., Jr.
Regulatory Off-Gas Analysis from the Evaporation of Hanford Simulated Waste Spiked with Organic Compounds, 1242

Cannon, F.S.
Effect of Advanced Oxidants Generated Via Ultraviolet Light on a Sequentially Loaded and Regenerated Granular Activated Carbon Biofilter, 871

Caron, R.F.
Estimation of Vinyl Chloride Emissions from Gasholders and Validation of In Situ Emission Reduction Methods, 172

Castillo, A.
Carbon Monoxide Concentration Forecasting in Santiago, Chile, 908

Catalano, P.J.
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207

Cereceda-Balic, F.
Use of the Light Absorption Coefficient to Monitor Elemental Carbon and $PM_{2.5}$—Example of Santiago de Chile, 799

Chang, C.-T.
Assessment of Influential Range and Characteristics of Fugitive Dust in Limestone Extraction Processes, 141

Chang, M.-C.O.
Measurement of Ultrafine Particle Size Distributions from Coal-, Oil-, and Gas-Fired Stationary Combustion Sources, 1494

Chang, M.B.
Abatement of Sulfur Hexafluoride Emissions from the Semiconductor Manufacturing Process by Atmospheric-Pressure Plasmas, 960
Simultaneous Removal of Nitrogen Oxide/Nitrogen Dioxide/Sulfur Dioxide from Gas Streams by Combined Plasma Scrubbing Technology, 941

Chavez, J.
Chemical Speciation of $PM_{2.5}$ Collected during Prescribed Fires of the Coconino National Forest near Flagstaff, Arizona, 1112

Chein, H.M.
Inorganic Acid Emission Factors of Semiconductor Manufacturing Processes, 218

Chen, F.
Modeling of Gas-Phase Photodegradation of Chloroform and Carbon Tetrachloride, 1281

Chen, J.-W.
Compartmental Human Respiratory Tract Modeling of Airborne Dust Exposure from Feeding in Swine Buildings, 331

Chen, K.-S.
Trends in Concentration of Ground-Level Ozone and Meteorological Conditions during High Ozone Episodes in the Kao-Ping Airshed, Taiwan, 36

Chen, L.C.
Comparisons of the Dust/Smoke Particulate that Settled Inside the Surrounding Buildings and Outside on the Streets of Southern New York City after the Collapse of the World Trade Center, September 11, 2001, 515

Chen, S.-C.
Compartmental Human Respiratory Tract Modeling of Airborne Dust Exposure from Feeding in Swine Buildings, 331

Chen, S.-J.
Trends in Concentration of Ground-Level Ozone and Meteorological Conditions during High Ozone Episodes in the Kao-Ping Airshed, Taiwan, 36

Chen, T.M.
Inorganic Acid Emission Factors of Semiconductor Manufacturing Processes, 218

Choi, A.S.
Regulatory Off-Gas Analysis from the Evaporation of Hanford Simulated Waste Spiked with Organic Compounds, 1242

Chow, J.C.
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226
Analysis of $PM_{2.5}$ and PM_{10} in the Atmosphere of Mexico City during 2000–2002, 786
Journal Completes Transition with New Associate Editors, 513
Measurement of Ultrafine Particle Size Distributions from Coal-, Oil-, and Gas-Fired Stationary Combustion Sources, 1494

Christoforou, C.S.
Ozone Measurements in South Carolina Using Passive Samplers, 1312

Chronopoulou, A.
Combining Neural Network Models to Predict Spatial Patterns of Airborne Pollutant Accumulation in Soils around an Industrial Point Emission Source, 1506

Chung, Y.-C.
Operational Characteristics of Effective Removal of H_2S and NH_3 Waste Gases by Activated Carbon Biofilter, 450

Civerolo, K.
An Operational Assessment of the Application of the Relative Reduction Factors in the Demonstration of Attainment of the 8-Hr Ozone National Ambient Air Quality Standard, 950

Claiborn, C.
Source Apportionment of Indoor, Outdoor, and Personal $PM_{2.5}$ in Seattle, Washington, Using Positive Matrix Factorization, 1175

Clark, P.
Remediation of MTBE from Drinking Water: Air Stripping Followed by Off-Gas Adsorption, 529

Cobourn, W.G.
Trends in Meteorologically Adjusted Ozone Concentrations in Six Kentucky Metro Areas, 1998–2002, 1383

Coburn, T.C.
Mixed-Model Statistical Analysis of Fuel, Equipment, Mileage, and Driving Schedule Effects on Particulate Matter Emissions from Heavy Diesel-Powered Vehicles, 1151

Collett, J.L., Jr.
Aerosol Ion Characteristics During the Big Bend Regional Aerosol and Visibility Observational Study, 585

Comrie, A.C.
Real-Time Ozone Mapping Using a Regression-Interpolation Hybrid Approach, Applied to Tucson, Arizona, 914

Cooper, C.D.
Mobile Source Emission Inventories—Monthly or Annual Average Inputs to MOBILE6?, 1006

Corsi, R.L.
Indoor Fine Particles: The Role of Terpene Emissions from Consumer Products, 367

Cowherd, C., Jr.
Characterization of the Fugitive Particulate Emissions from Construction Mud/Dirt Carryout, 1394

Crist, K.C.
The Regional Nature of $PM_{2.5}$ Episodes in the Upper Ohio River Valley, 971

Crittenden, J.C.
Design and Performance Characterization Strategy Using Modeling for Biofiltration Control of Odorous Hydrogen Sulfide, 834

Croes, B.E.
Real-World Vehicle Emissions: A Summary of the Thirteenth Coordinating Research Council On-Road Vehicle Emissions Workshop, 8

Davidson, K.
Letter to the Editor, 386

Davis, W.T.
Prediction of the Vertical Profile of Ozone Based on Ground-Level Ozone Observations and Cloud Cover, 483
Response from Authors, 388

Deck, L.
Letter to the Editor, 386

Demerjian, K.L.
Laboratory Characterization of Modified Tapered Element Oscillating Microbalance Samplers, 1254
Long-Term Field Characterization of Tapered Element Oscillating Microbalance and Modified Tapered Element Oscillating Microbalance Samplers in Urban and Rural New York State Locations, 1264
Semicontinuous $PM_{2.5}$ Sulfate and Nitrate Measurements at an Urban and a Rural Location in New York: PMTACS-NY Summer 2001 and 2002 Campaigns, 1040

DeMinter, J.T.
Hourly and Daily Patterns of Particle-Phase Organic and Elemental Carbon Concentrations in the Urban Atmosphere, 823

Deshpande, S.
Kinetic Evaluaton of H_2S and NH_3 Biofiltration for Two Media Used for Wastewater Lift Station Emissions, 24

Devinny, J.
Removal of Ultrafine and Fine Particulate Matter from Air by a Granular Bed Filter, 935

Dick, C.A.J.
Differential Pulmonary Inflammation and In Vitro Cytotoxicity of Size-Fractionated Fly Ash Particles from Pulverized Coal Combustion, 286

Dills, R.L.
Determination of Levoglucosan in Atmospheric Fine Particulate Matter, 689

Dimopoulos, I.F.
Combining Neural Network Models to Predict Spatial Patterns of Airborne Pollutant Accumulation in Soils around an Industrial Point Emission Source, 1506

Drewnick, F.
Semicontinuous $PM_{2.5}$ Sulfate and Nitrate Measurements at an Urban and a Rural Location in New York: PMTACS-NY Summer 2001 and 2002 Campaigns, 1040

Durbin, T.D.
Emissions and Demonstration of an Emission Control Technology for Small Two-Stroke Utility Engines, 200
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model-Year Gasoline Vehicles, 258

Dusenbury, J.S.
Effect of Advanced Oxidants Generated Via Ultraviolet Light on a Sequentially Loaded and Regenerated Granular Activated Carbon Biofilter, 871

Dutkiewicz, V.A.
Semicontinuous $PM_{2.5}$ Sulfate and Nitrate Measurements at an Urban and a Rural Location in New York: PMTACS-NY Summer 2001 and 2002 Campaigns, 1040

Eatough, D.J.
Design Scenario for the Radioisotopic Estimation of the Biogenic Component of Airborne Particles, 600
The Regional Nature of $PM_{2.5}$ Episodes in the Upper Ohio River Valley, 971

Ejlertsson, J.
Occurrence and Abatement of Volatile Sulfur Compounds during Biogas Production, 855

Eldred, R.A.
Loss of Particle Nitrate from Teflon Sampling Filters: Effects on Measured Gravimetric Mass in California and in the IMPROVE Network, 93

Engel-Cox, J.A.
Recommendations on the Use of Satellite Remote-Sensing Data for Urban Air Quality, 1360

England, G.C.
Measurement of Ultrafine Particle Size Distributions from Coal-, Oil-, and Gas-Fired Stationary Combustion Sources, 1494

Erickson, C.
Emissions of Sulfur Trioxide from Coal-Fired Power Plants, 750

Etyemezian, V.
Deposition and Removal of Fugitive Dust in the Arid Soutwestern United States: Measurements and Model Results, 1099

Felton, H.D.
Long-Term Field Characterization of Tapered Element Oscillating Microbalance and Modified Tapered Element Oscillating Microbalance Samplers in Urban and Rural New York State Locations, 1264
Semicontinuous $PM_{2.5}$ Sulfate and Nitrate Measurements at an Urban and a Rural Location in New York: PMTACS-NY Summer 2001 and 2002 Campaigns, 1040

Ferrara, D.M.
Regulatory Off-Gas Analysis from the Evaporation of Hanford Simulated Waste Spiked with Organic Compounds, 1242

Ferro, A.R.
Outdoor Versus Indoor Contributions to Indoor Particulate Matter (PM) Determined by Mass Balance Methods, 1188

Fine, P.M.
Associations between Particle Number and Gaseous Co-Pollutant Concentrations in the Los Angeles Basin, 992
The Relationship between Real-Time and Time-Integrated Coarse (2.5–10 μm), Intermodal (1–2.5 μm), and Fine (<2.5 μm) Particulate Matter in the Los Angeles Basin, 1029

Fitz, D.
Near-Field Dispersion Modeling for Regulatory Applications, 473

Franklin, A.C.
Ozone Measurements in South Carolina Using Passive Samplers, 1312

Frey, C.
Quantification of Highway Vehicle Emissions Hot Spots Based upon On-Board Measurements, 130

Frey, H.C.
Development of Probabilistic Emission Inventories of Air Toxics for Jacksonsville, Florida, 1405

Fugler, D.
Contribution of Vehicle Emissions from an Attached Garage to Residential Indoor Air Pollution Levels, 563

Fujii, M.
Field Validation of an Active Sampling Cartridge as a Passive Sampler for Long-Term Carbonyl Monitoring, 419

Furuuchi, M.
A Mechanistic Model for Mercury Capture with In Situ–Generated Titania Particles: Role of Water Vapor, 149

Galassi, F.
Urban Air Pollution Monitoring and Correlation Properties between Fixed-Site Stations, 1236

Galbally, I.E.
A Simple Model for Estimating Emissions of Volatile Organic Compounds from Grass and Cut Grass in Urban Airsheds and Its Application to Two Australian Cities, 1299

Gamble, H.
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model-Year Gasoline Vehicles, 258

García, J.
Analysis of $PM_{2.5}$ and PM_{10} in the Atmosphere of Mexico City during 2000–2002, 786

Geller, M.D.
The Relationship between Real-Time and Time-Integrated Coarse (2.5–10 μm), Intermodal (1–2.5 μm), and Fine (<2.5 μm) Particulate Matter in the Los Angeles Basin, 1029

Gertler, A.W.
A Quantitative Description of Vehicle Exhaust Particle Size Distributions in a Highway Tunnel, 360

Ghorishi, S.B.
Investigation of Selective Catalytic Reduction Impact on Mercury Speciation under Simulated NO_x Emission Control Conditions, 1560

Gibson, L.V., Jr.
Regulatory Off-Gas Analysis from the Evaporation of Hanford Simulated Waste Spiked with Organic Compounds, 1242

Gillette, D.
Deposition and Removal of Fugitive Dust in the Arid Soutwestern United States: Measurements and Model Results, 1099

Gillies, J.
Deposition and Removal of Fugitive Dust in the Arid Soutwestern United States: Measurements and Model Results, 1099

Gilmour, M.I.
Differential Pulmonary Inflammation and In Vitro Cytotoxicity of Size-Fractionated Fly Ash Particles from Pulverized Coal Combustion, 286

Gonzales, M.
Field Method Comparison between Passive Air Samplers and Continuous Monitors for VOCs and NO_2 in El Paso, Texas, 307

González, U.
Analysis of $PM_{2.5}$ and PM_{10} in the Atmosphere of Mexico City during 2000–2002, 786

Gorczynski, J.
Comparisons of the Dust/Smoke Particulate that Settled Inside the Surrounding Buildings and Outside on the Streets of Southern New York City after the Collapse of the World Trade Center, September 11, 2001, 515

Gordon, J.
Development of the IM147: An Alternative Inspection/Maintenance Mass-Emission Transient Test to Address Vehicle Preconditioning Concerns, 269

Gorse, R.A., Jr.
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model-Year Gasoline Vehicles, 258

Gould, T.
Source Apportionment of Indoor, Outdoor, and Personal $PM_{2.5}$ in Seattle, Washington, Using Positive Matrix Factorization, 1175

Graham, D.R., Jr.
Evaluation of Vacuum and Wet-Wipe Methods for Removal of World Trade Center Dust from Indoor Environments, 1293

Graham, L.A.
Contribution of Vehicle Emissions from an Attached Garage to Residential Indoor Air Pollution Levels, 563

Gramsch, E.
Use of the Light Absorption Coefficient to Monitor Elemental Carbon and $PM_{2.5}$—Example of Santiago de Chile, 799

Grande, C.
Contribution of Vehicle Emissions from an Attached Garage to Residential Indoor Air Pollution Levels, 563

Gurjar, B.R.
A Risk-Based Model to Establish Threshold Planning Quantities of Hazardous Substances, 495

Gustin, M.S.
An Assessment of the Significance of Mercury Release from Coal Fly Ash, 320
Response from Authors, 771

Guy, C.
Estimation of Vinyl Chloride Emissions from Gasholders and Validation of In Situ Emission Reduction Methods, 172

Hallberg, A.
Letter to the Editor, 386

Han, S.-K.
Performance of an Innovative Two-Stage Process Converting Food Waste to Hydrogen and Methane, 242

Hand, D.W.
Remediation of MTBE from Drinking Water: Air Stripping Followed by Off-Gas Adsorption, 529

Hanna, A.
Ozone and Other Air Quality-Related Variables Affecting Visibility in the Southeast United States, 681

Hao, W.
An Operational Assessment of the Application of the Relative Reduction Factors in the Demonstration of Attainment of the 8-Hr Ozone National Ambient Air Quality Standard, 950

Harkay, J.D.
Evaluation of Vacuum and Wet-Wipe Methods for Removal of World Trade Center Dust from Indoor Environments, 1293

Hassan, H.
Forecasting Daily Maximum Surface Ozone Concentrations in Brunei Darussalam—An ARIMA Modeling Approach, 809

Hastings, T.W.
Investigation of Selective Catalytic Reduction Impact on Mercury Speciation under Simulated NO_x Emission Control Conditions, 1560

Hayes, C.A.
Vapor-Phase Transport of Explosives from Buried Sources in Soils, 1525

Haymet, A.D.J.
Recommendations on the Use of Satellite Remote-Sensing Data for Urban Air Quality, 1360

Hazen, T.C.
Comparison of Aerobic and Anaerobic Biotreatment of Municipal Solid Waste, 815

Hedrick, E.
A Mechanistic Model for Mercury Capture with In Situ–Generated Titania Particles: Role of Water Vapor, 149

Heirigs, P.L.
Development of the IM147: An Alternative Inspection/Maintenance Mass-Emission Transient Test to Address Vehicle Preconditioning Concerns, 269

Helgeson, N.
Evaluation of Catalyzed and Electrically Heated Filters for Removal of Particulate Emissions from Diesel-A- and JP-8-Fueled Engines, 83

Henry, R.F.
An Operational Assessment of the Application of the Relative Reduction Factors in the Demonstration of Attainment of the 8-Hr Ozone National Ambient Air Quality Standard, 950

Heumann, J.
Near-Field Dispersion Modeling for Regulatory Applications, 473

Hidy, G.M.
Design Scenario for the Radioisotopic Estimation of the Biogenic Component of Airborne Particles, 600
Setting Goals to Reduce Uncertainty, 1350

Hildemann, L.M.
Outdoor Versus Indoor Contributions to Indoor Particulate Matter (PM) Determined by Mass Balance Methods, 1188

Ho, Y.T.
Trends in Concentration of Ground-Level Ozone and Meteorological Conditions during High Ozone Episodes in the Kao-Ping Airshed, Taiwan, 36

Hochhauser, A.M.
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model-Year Gasoline Vehicles, 258

Hoff, R.M.
Recommendations on the Use of Satellite Remote-Sensing Data for Urban Air Quality, 1360

Hogrefe, C.
An Operational Assessment of the Application of the Relative Reduction Factors in the Demonstration of Attainment of the 8-Hr Ozone National Ambient Air Quality Standard, 950

Hogrefe, O.
Laboratory Characterization of Modified Tapered Element Oscillating Microbalance Samplers, 1254
Semicontinuous $PM_{2.5}$ Sulfate and Nitrate Measurements at an Urban and a Rural Location in New York: PMTACS-NY Summer 2001 and 2002 Campaigns, 1040

Holden, B.
Evaluation of Catalyzed and Electrically Heated Filters for Removal of Particulate Emissions from Diesel-A- and JP-8-Fueled Engines, 83

Holmén, B.A.
Roadside Particle Number Distributions and Relationships between Number Concentrations, Meteorology, and Traffic along a Northern California Freeway, 540

Hong, K.-H.
Emission Characteristics of PCDD/Fs, PCBs, Chlorobenzenes, Chlorophenols, and PAHs from Polyvinylchloride Combustion at Various Temperatures, 555

Hopke, P.K.
Measurement of Ultrafine Particle Size Distributions from Coal-, Oil-, and Gas-Fired Stationary Combustion Sources, 1494
Source Apportionment of Fine Particles in Washington, DC, Utilizing Temperature-Resolved Carbon Fractions, 773

Huai, T.
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model-Year Gasoline Vehicles, 258

Huang, C.-C.
Inorganic Acid Emission Factors of Semiconductor Manufacturing Processes, 218

Hubbell, B.
Letter to the Editor, 386

Humeres, E.
Evaluation of Relative Photonic Efficiency in Heterogeneous Photocatalytic Reactors, 77

Hung, C.-H.
Preparation of Sulfurized Powdered Activated Carbon from Waste Tires Using an Innovative Compositive Impregnation Process, 862

Hung, C.-M.
Catalytic Destruction of Dichloromethane Using Perovskite-Type Oxide Catalysts, 727
Selective Catalytic Oxidation of Ammonia over Copper-Cerium Composite Catalyst, 68

Husain, L.
Semicontinuous $PM_{2.5}$ Sulfate and Nitrate Measurements at an Urban and a Rural Location in New York: PMTACS-NY Summer 2001 and 2002 Campaigns, 1040

Ilacqua, V.
Comparisons of the Dust/Smoke Particulate that Settled Inside the Surrounding Buildings and Outside on the Streets of Southern New York City after the Collapse of the World Trade Center, September 11, 2001, 515

Ilgner, R.H.
Development and Application of Protocols for the Determination of Response of Real-Time Particle Monitors to Common Indoor Aerosols, 229

Ingham, M.C.
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model-Year Gasoline Vehicles, 258

Isakov, V.
Near-Field Dispersion Modeling for Regulatory Applications, 473

Jain, V.K.
Forecasting Daily Maximum Surface Ozone Concentrations in Brunei Darussalam—An ARIMA Modeling Approach, 809

Jambhekar, R.
Emissions of Sulfur Trioxide from Coal-Fired Power Plants, 750

Jayanty, R.K.M.
Chemical Speciation of $PM_{2.5}$ Collected during Prescribed Fires of the Coconino National Forest near Flagstaff, Arizona, 1112

Jenkins, R.A.
Development and Application of Protocols for the Determination of Response of Real-Time Particle Monitors to Common Indoor Aerosols, 229

John, K.
The Regional Nature of $PM_{2.5}$ Episodes in the Upper Ohio River Valley, 971

Johnson, D.
Determination of the Source Areas Contributing to Regionally High Warm Season $PM_{2.5}$ in Eastern North America, 1162

Jones, K.D.
Kinetic Evaluaton of H_2S and NH_3 Biofiltration for Two Media Used for Wastewater Lift Station Emissions, 24

José, H.J.
Evaluation of Relative Photonic Efficiency in Heterogeneous Photocatalytic Reactors, 77

Joy, R.W.
Development of the IM147: An Alternative Inspection/Maintenance Mass-Emission Transient Test to Address Vehicle Preconditioning Concerns, 269

Junfeng, Z.
Removal of NO_x from Flue Gas with Iron Filings Reduction Following Complexing Absorption in Ferrous Chelates Aqueous Solutions, 1543

Kalman, D.A.
Determination of Levoglucosan in Atmospheric Fine Particulate Matter, 689

Kang, B.-W.
Atmospheric Concentrations of $PM_{2.5}$ Trace Elements in the Seoul Urban Area of South Korea, 432

Kang, C.-M.
Atmospheric Concentrations of $PM_{2.5}$ Trace Elements in the Seoul Urban Area of South Korea, 432

Kang, G.U.
Chemical Composition of Post-Harvest Biomass Burning Aerosols in Gwangju, Korea, 1124

Karlsson, A.
Occurrence and Abatement of Volatile Sulfur Compounds during Biogas Production, 855

Karman, D.
Contribution of Vehicle Emissions from an Attached Garage to Residential Indoor Air Pollution Levels, 563

Katz, B.S.
Determination of Levoglucosan in Atmospheric Fine Particulate Matter, 689

Keeler, G.J.
Characterization of Ultrafine Particle Number Concentration and Size Distribution During a Summer Campaign in Southwest Detroit, 1079

Keislar, R.E.
On-Road Vehicle Particulate Matter and Gaseous Emission Distributions in Las Vegas, Nevada, Compared with Other Areas, 711

Kelly, K.E.
Evaluation of Catalyzed and Electrically Heated Filters for Removal of Particulate Emissions from Diesel-A- and JP-8-Fueled Engines, 83

Kendall, M.
Comparisons of the Dust/Smoke Particulate that Settled Inside the Surrounding Buildings and Outside on the Streets of Southern New York City after the Collapse of the World Trade Center, September 11, 2001, 515

Kerch, P.E.
Measuring Visual Opacity Using Digital Imaging Technology, 296

Kiang, C.S.
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226

Kim, B.J.
Effect of Substrate Henry's Constant on Biofilter Performance, 409

Kim, B.R.
Effect of Substrate Henry's Constant on Biofilter Performance, 409

Kim, C.-H.
Simulating Urban-Scale Air Pollutants and Their Predicting Capabilities over the Seoul Metropolitan Area, 695

Kim, D.-S.
Ozone and Other Air Quality-Related Variables Affecting Visibility in the Southeast United States, 681

Kim, E.
Source Apportionment of Fine Particles in Washington, DC, Utilizing Temperature-Resolved Carbon Fractions, 773

Kim, G.-D.
Prediction of the Vertical Profile of Ozone Based on Ground-Level Ozone Observations and Cloud Cover, 483

Kim, J.E.
Chemical Composition of Post-Harvest Biomass Burning Aerosols in Gwangju, Korea, 1124

Kim, K.-S.
Emission Characteristics of PCDD/Fs, PCBs, Chlorobenzenes, Chlorophenols, and PAHs from Polyvinylchloride Combustion at Various Temperatures, 555

Kim, M.-G.
Emission Characteristics of PCDD/Fs, PCBs, Chlorobenzenes, Chlorophenols, and PAHs from Polyvinylchloride Combustion at Various Temperatures, 555

Kim, Y.J.
Chemical Composition of Post-Harvest Biomass Burning Aerosols in Gwangju, Korea, 1124

Kinsey, J.S.
Characterization of the Fugitive Particulate Emissions from Construction Mud/Dirt Carryout, 1394

Kirstine, W.V.
A Simple Model for Estimating Emissions of Volatile Organic Compounds from Grass and Cut Grass in Urban Airsheds and Its Application to Two Australian Cities, 1299

Klouda, G.A.
Design Scenario for the Radioisotopic Estimation of the Biogenic Component of Airborne Particles, 600

Ko, Y.-H.
Emission Characteristics of PCDD/Fs, PCBs, Chlorobenzenes, Chlorophenols, and PAHs from Polyvinylchloride Combustion at Various Temperatures, 555

Kopperud, R.J.
Outdoor Versus Indoor Contributions to Indoor Particulate Matter (PM) Determined by Mass Balance Methods, 1188

Kordich, M.M.
Use of Noise Attenuation Modeling in Managing Missile Motor Detonation Activities, 342

Koustas, R.N.
Evaluation of Vacuum and Wet-Wipe Methods for Removal of World Trade Center Dust from Indoor Environments, 1293

Koutrakis, P.
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207

Kreidenweis, S.M.
Aerosol Ion Characteristics During the Big Bend Regional Aerosol and Visibility Observational Study, 585

Ku, J.-Y.
An Operational Assessment of the Application of the Relative Reduction Factors in the Demonstration of Attainment of the 8-Hr Ozone National Ambient Air Quality Standard, 950

Kuhns, H.D.
Deposition and Removal of Fugitive Dust in the Arid Soutwestern United States: Measurements and Model Results, 1099
On-Road Vehicle Particulate Matter and Gaseous Emission Distributions in Las Vegas, Nevada, Compared with Other Areas, 711

Kumagai, K.
Field Validation of an Active Sampling Cartridge as a Passive Sampler for Long-Term Carbonyl Monitoring, 419

Kumar, K.
Forecasting Daily Maximum Surface Ozone Concentrations in Brunei Darussalam—An ARIMA Modeling Approach, 809

Kumar, N.
Variation of Mass Scattering Efficiencies in IMPROVE, 926

Ladwig, K.
An Assessment of the Significance of Mercury Release from Coal Fly Ash, 320
Response from Authors, 771

Lai, C.H.
Trends in Concentration of Ground-Level Ozone and Meteorological Conditions during High Ozone Episodes in the Kao-Ping Airshed, Taiwan, 36

Lai, C.R.
Simultaneous Removal of Nitrogen Oxide/Nitrogen Dioxide/Sulfur Dioxide from Gas Streams by Combined Plasma Scrubbing Technology, 941

Lala, G.G.
Semicontinuous $PM_{2.5}$ Sulfate and Nitrate Measurements at an Urban and a Rural Location in New York: PMTACS-NY Summer 2001 and 2002 Campaigns, 1040

Lapina, K.
Assessing Source Characteristics of $PM_{2.5}$ in the Eastern United States Using Positive Matrix Factorization, 1170

LaPosta, D.
Evaluation of Vacuum and Wet-Wipe Methods for Removal of World Trade Center Dust from Indoor Environments, 1293

Larson, T.
Estimated Hourly Personal Exposures to Ambient and Nonambient Particulate Matter Among Sensitive Populations in Seattle, Washington, 1197
Source Apportionment of Indoor, Outdoor, and Personal $PM_{2.5}$ in Seattle, Washington, Using Positive Matrix Factorization, 1175

Lauriola, P.
Urban Air Pollution Monitoring and Correlation Properties between Fixed-Site Stations, 1236

Lawson, D.R.
Emission Rates and Comparative Chemical Composition from Selected In-Use Diesel and Gasoline-Fueled Vehicles, 1138
Real-World Vehicle Emissions: A Summary of the Thirteenth Coordinating Research Council On-Road Vehicle Emissions Workshop, 8

Lee, C.W.
Investigation of Selective Catalytic Reduction Impact on Mercury Speciation under Simulated NO_x Emission Control Conditions, 1560

Lee, H.M.
Abatement of Sulfur Hexafluoride Emissions from the Semiconductor Manufacturing Process by Atmospheric-Pressure Plasmas, 960
Simultaneous Removal of Nitrogen Oxide/Nitrogen Dioxide/Sulfur Dioxide from Gas Streams by Combined Plasma Scrubbing Technology, 941

Lee, H.S.
Atmospheric Concentrations of $PM_{2.5}$ Trace Elements in the Seoul Urban Area of South Korea, 432

Lee, K.
Outdoor/Indoor/Personal Ozone Exposures of Children in Nashville, Tennessee, 352

Lee, S.-J.
Simulating Urban-Scale Air Pollutants and Their Predicting Capabilities over the Seoul Metropolitan Area, 695

Lee, S.-K.
Atmospheric Concentrations of $PM_{2.5}$ Trace Elements in the Seoul Urban Area of South Korea, 432

Lee, T.
Aerosol Ion Characteristics During the Big Bend Regional Aerosol and Visibility Observational Study, 585

Lee, T.G.
A Mechanistic Model for Mercury Capture with In Situ–Generated Titania Particles: Role of Water Vapor, 149

Lee, Y.-H.
Simulating Urban-Scale Air Pollutants and Their Predicting Capabilities over the Seoul Metropolitan Area, 695

Lefan, M.
Removal of NO_x from Flue Gas with Iron Filings Reduction Following Complexing Absorption in Ferrous Chelates Aqueous Solutions, 1543

Lefohn, A.S.
Spatial Variability of $PM_{2.5}$ in Urban Areas in the United States, 440

Lents, J.M.
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226

Lev-On, M.
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226

Lewtas, J.
Source Apportionment of Indoor, Outdoor, and Personal $PM_{2.5}$ in Seattle, Washington, Using Positive Matrix Factorization, 1175

Li, T.
An Optimal Model and Its Application for the Management of Municipal Solid Waste from Regional Small Cities in China, 191

Liao, C.-M.
Compartmental Human Respiratory Tract Modeling of Airborne Dust Exposure from Feeding in Swine Buildings, 331

Lighty, J.S.
Evaluation of Catalyzed and Electrically Heated Filters for Removal of Particulate Emissions from Diesel-A- and JP-8-Fueled Engines, 83

Lin, C.-Y.
Hydration Properties of Eco-Cement Pastes from Waste Sludge Ash Clinkers, 1534

Lin, H.-Y.
Preparation of Sulfurized Powdered Activated Carbon from Waste Tires Using an Innovative Compositive Impregnation Process, 862

Lin, K.-L.
Hydration Properties of Eco-Cement Pastes from Waste Sludge Ash Clinkers, 1534

Lin, Y.
Trends in Meteorologically Adjusted Ozone Concentrations in Six Kentucky Metro Areas, 1998–2002, 1383

Lin, Y.-Y.
Operational Characteristics of Effective Removal of H_2S and NH_3 Waste Gases by Activated Carbon Biofilter, 450

Linak, W.P.
Differential Pulmonary Inflammation and In Vitro Cytotoxicity of Size-Fractionated Fly Ash Particles from Pulverized Coal Combustion, 286

Lindner, J.
Development of the IM147: An Alternative Inspection/Maintenance Mass-Emission Transient Test to Address Vehicle Preconditioning Concerns, 269

Linna, K.J.
Characterization of the Fugitive Particulate Emissions from Construction Mud/Dirt Carryout, 1394

Lioy, P.J.
Comparisons of the Dust/Smoke Particulate that Settled Inside the Surrounding Buildings and Outside on the Streets of Southern New York City after the Collapse of the World Trade Center, September 11, 2001, 515

Liu, L.-J.S.
Estimated Hourly Personal Exposures to Ambient and Nonambient Particulate Matter Among Sensitive Populations in Seattle, Washington, 1197
Source Apportionment of Indoor, Outdoor, and Personal $PM_{2.5}$ in Seattle, Washington, Using Positive Matrix Factorization, 1175

Liu, M.-H.
Preparation of Sulfurized Powdered Activated Carbon from Waste Tires Using an Innovative Compositive Impregnation Process, 862

Loh, C.
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226

Lou, J.-C.
Catalytic Destruction of Dichloromethane Using Perovskite-Type Oxide Catalysts, 727
Selective Catalytic Oxidation of Ammonia over Copper-Cerium Composite Catalyst, 68

Lowenthal, D.H.
Variation of Mass Scattering Efficiencies in IMPROVE, 926

Lucarelli, F.
One-Year Study of the Elemental Composition and Source Apportionment of PM_{10} Aerosols in Florence, Italy, 1372

Lukas, J.C.
Droplet Charging for Web Scrubbers, 3

Lunder, S.
An Analysis of Candidates for Addition to the Clean Air Act List of Hazardous Air Pollutants, 157

Ma, X.
An Optimal Model and Its Application for the Management of Municipal Solid Waste from Regional Small Cities in China, 191

MacKay, G.I.
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model-Year Gasoline Vehicles, 258

Maddaloni, M.A.
Evaluation of Vacuum and Wet-Wipe Methods for Removal of World Trade Center Dust from Indoor Environments, 1293

Malvadkar, S.B.
Supply Curves for Using Powder River Basin Coal to Reduce Sulfur Emissions, 741

Mamedov, A.
Determination of the Source Areas Contributing to Regionally High Warm Season $PM_{2.5}$ in Eastern North America, 1162

Mandò, P.A.
One-Year Study of the Elemental Composition and Source Apportionment of PM_{10} Aerosols in Florence, Italy, 1372

Maroo, K.
Kinetic Evaluaton of H_2S and NH_3 Biofiltration for Two Media Used for Wastewater Lift Station Emissions, 24

Martello, D.V.
The Regional Nature of $PM_{2.5}$ Episodes in the Upper Ohio River Valley, 971

Martin, R.W., Jr.
Design and Performance Characterization Strategy Using Modeling for Biofiltration Control of Odorous Hydrogen Sulfide, 834

Martinez, A.
Kinetic Evaluaton of H_2S and NH_3 Biofiltration for Two Media Used for Wastewater Lift Station Emissions, 24

Martínez-Villa, G.
Analysis of $PM_{2.5}$ and PM_{10} in the Atmosphere of Mexico City during 2000–2002, 786

Mazzoleni, C.
On-Road Vehicle Particulate Matter and Gaseous Emission Distributions in Las Vegas, Nevada, Compared with Other Areas, 711

McCubbin, D.
Letter to the Editor, 386

McDonald, J.D.
Emission Rates and Comparative Chemical Composition from Selected In-Use Diesel and Gasoline-Fueled Vehicles, 1138

McDonald, K.
Characterization of Visibility Impacts Related to Fine Particulate Matter in Canada, 1061

McDonald, R.
A Methodology to Establish the Morphology of Ambient Aerosols, 1069

McFarland, M.J.
Development of a Hazardous Air Pollutants Monitoring Program Using the Data Quality Objectives Process, 614
Measuring Visual Opacity Using Digital Imaging Technology, 296
Use of Noise Attenuation Modeling in Managing Missile Motor Detonation Activities, 342

McGurl, G.V.
Supply Curves for Using Powder River Basin Coal to Reduce Sulfur Emissions, 741

Meischen, S.J.
Gas-Phase Mercury Reduction to Measure Total Mercury in the Flue Gas of a Coal-Fired Boiler, 60

Michener, W.E.
A New Method for the Rapid Determination of Volatile Organic Compound Breakthrough Times for a Sorbent at Concentrations Relevant to Indoor Air Quality, 105

Mihelcic, J.R.
Design and Performance Characterization Strategy Using Modeling for Biofiltration Control of Odorous Hydrogen Sulfide, 834

Miller, C.A.
Differential Pulmonary Inflammation and In Vitro Cytotoxicity of Size-Fractionated Fly Ash Particles from Pulverized Coal Combustion, 286
Emissions of Sulfur Trioxide from Coal-Fired Power Plants, 750

Miller, J.W.
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model-Year Gasoline Vehicles, 258

Miller, T.L.
Prediction of the Vertical Profile of Ozone Based on Ground-Level Ozone Observations and Cloud Cover, 483
Response from Authors, 388

Millette, J.R.
Comparisons of the Dust/Smoke Particulate that Settled Inside the Surrounding Buildings and Outside on the Streets of Southern New York City after the Collapse of the World Trade Center, September 11, 2001, 515

Minassian, F.
Real-World Vehicle Emissions: A Summary of the Thirteenth Coordinating Research Council On-Road Vehicle Emissions Workshop, 8

Mobley, J.D.
Innovative Methods for Emission Inventory Development and Evaluation: Workshop Summary, 1422

Modey, W.K.
The Regional Nature of $PM_{2.5}$ Episodes in the Upper Ohio River Valley, 971

Mohan, M.
A Risk-Based Model to Establish Threshold Planning Quantities of Hazardous Substances, 495

Molina, L.T.
2004 Critical Review: Megacities and Atmospheric Pollution, 644
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226

Molina, M.J.
2004 Critical Review: Megacities and Atmospheric Pollution, 644
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226

Montanari, A.
Urban Air Pollution Monitoring and Correlation Properties between Fixed-Site Stations, 1236

Moosmüller, H.
On-Road Vehicle Particulate Matter and Gaseous Emission Distributions in Las Vegas, Nevada, Compared with Other Areas, 711

Morandi, M.T.
Field Method Comparison between Passive Air Samplers and Continuous Monitors for VOCs and NO_2 in El Paso, Texas, 307

Moreira, R.P.M.
Evaluation of Relative Photonic Efficiency in Heterogeneous Photocatalytic Reactors, 77

Moschandreas, D.J.
The Indoor Environmental Index and Its Relationship with Symptoms of Office Building Occupants, 1440

Muhunthan, B.
Geotechnical Engineering Properties of Incinerator Ash Mixes, 985

Mukerjee, S.
Field Method Comparison between Passive Air Samplers and Continuous Monitors for VOCs and NO_2 in El Paso, Texas, 307

Muleski, G.E.
Characterization of the Fugitive Particulate Emissions from Construction Mud/Dirt Carryout, 1394

Nace, C.G., Jr.
Evaluation of Vacuum and Wet-Wipe Methods for Removal of World Trade Center Dust from Indoor Environments, 1293

Nanzetta, M.K.
Roadside Particle Number Distributions and Relationships between Number Concentrations, Meteorology, and Traffic along a Northern California Freeway, 540

Nardi, Z.
Evaluation of Catalyzed and Electrically Heated Filters for Removal of Particulate Emissions from Diesel-A- and JP-8-Fueled Engines, 83

Natarajan, M.
Real-World Vehicle Emissions: A Summary of the Thirteenth Coordinating Research Council On-Road Vehicle Emissions Workshop, 8

Nava, S.
One-Year Study of the Elemental Composition and Source Apportionment of PM_{10} Aerosols in Florence, Italy, 1372

Neas, L.M.
Field Method Comparison between Passive Air Samplers and Continuous Monitors for VOCs and NO_2 in El Paso, Texas, 307

Nelson, T.M.
Development of a Hazardous Air Pollutants Monitoring Program Using the Data Quality Objectives Process, 614

Netto, G.C.
Evaluation of Relative Photonic Efficiency in Heterogeneous Photocatalytic Reactors, 77

Neuberg, D.
Outdoor/Indoor/Personal Ozone Exposures of Children in Nashville, Tennessee, 352

Nie, Y.
An Optimal Model and Its Application for the Management of Municipal Solid Waste from Regional Small Cities in China, 191

Nikolic, D.
Deposition and Removal of Fugitive Dust in the Arid Soutwestern United States: Measurements and Model Results, 1099
On-Road Vehicle Particulate Matter and Gaseous Emission Distributions in Las Vegas, Nevada, Compared with Other Areas, 711

Noble, C.A.
Field Method Comparison between Passive Air Samplers and Continuous Monitors for VOCs and NO_2 in El Paso, Texas, 307

Norris, G.A.
Field Method Comparison between Passive Air Samplers and Continuous Monitors for VOCs and NO_2 in El Paso, Texas, 307

Noseworthy, L.
Contribution of Vehicle Emissions from an Attached Garage to Residential Indoor Air Pollution Levels, 563

Oanh, N.T.K.
Photochemical Smog Modeling for Assessment of Potential Impacts of Different Management Strategies on Air Quality of the Bangkok Metropolitan Region, Thailand, 1321

O'Connor, S.
Differential Pulmonary Inflammation and In Vitro Cytotoxicity of Size-Fractionated Fly Ash Particles from Pulverized Coal Combustion, 286

Ogunseitan, O.A.
Manganese Content of *Tradescancia* Species Exposed to Automotive Combustion of Methylcyclopentadienyl Manganese Tricarbonyl in Urban and Rural Landscapes, 181

Oldenburg, C.M.
Comparison of Aerobic and Anaerobic Biotreatment of Municipal Solid Waste, 815

O'Leary, K.
Contribution of Vehicle Emissions from an Attached Garage to Residential Indoor Air Pollution Levels, 563

Olson, D.A.
Indoor Fine Particles: The Role of Terpene Emissions from Consumer Products, 367

Ormeño, I.
Use of the Light Absorption Coefficient to Monitor Elemental Carbon and $PM_{2.5}$—Example of Santiago de Chile, 799

Oyola, P.
Use of the Light Absorption Coefficient to Monitor Elemental Carbon and $PM_{2.5}$—Example of Santiago de Chile, 799

Ozis, F.
Removal of Ultrafine and Fine Particulate Matter from Air by a Granular Bed Filter, 935

Özkaynak, A.H.
Field Method Comparison between Passive Air Samplers and Continuous Monitors for VOCs and NO_2 in El Paso, Texas, 307
Outdoor/Indoor/Personal Ozone Exposures of Children in Nashville, Tennessee, 352

Palacios, R.
Carbon Monoxide Concentration Forecasting in Santiago, Chile, 908

Palma, G.
Use of the Light Absorption Coefficient to Monitor Elemental Carbon and $PM_{2.5}$—Example of Santiago de Chile, 799

Palmer, G.R.
Development of a Hazardous Air Pollutants Monitoring Program Using the Data Quality Objectives Process, 614
Use of Noise Attenuation Modeling in Managing Missile Motor Detonation Activities, 342

Pankratz, D.
Near-Field Dispersion Modeling for Regulatory Applications, 473

Park, I.-S.
Simulating Urban-Scale Air Pollutants and Their Predicting Capabilities over the Seoul Metropolitan Area, 695

Parkhurst, W.J.
Outdoor/Indoor/Personal Ozone Exposures of Children in Nashville, Tennessee, 352

Paterson, K.G.
Assessing Source Characteristics of $PM_{2.5}$ in the Eastern United States Using Positive Matrix Factorization, 1170

Patterson, C.
Remediation of MTBE from Drinking Water: Air Stripping Followed by Off-Gas Adsorption, 529

Pehkonen, S.O.
Modeling of Gas-Phase Photodegradation of Chloroform and Carbon Tetrachloride, 1281

Perez, P.
Carbon Monoxide Concentration Forecasting in Santiago, Chile, 908

Peters, D.W.
Development and Application of Protocols for the Determination of Response of Real-Time Particle Monitors to Common Indoor Aerosols, 229

Peters, S.
Semicontinuous $PM_{2.5}$ Sulfate and Nitrate Measurements at an Urban and a Rural Location in New York: PMTACS-NY Summer 2001 and 2002 Campaigns, 1040

Pilat, M.J.
Droplet Charging for Wet Scrubbers, 3

Pinto, J.P.
Spatial Variability of $PM_{2.5}$ in Urban Areas in the United States, 440

Pisano, J.T.
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model-Year Gasoline Vehicles, 258

Pollet, D.A.
Use of Noise Attenuation Modeling in Managing Missile Motor Detonation Activities, 342

Post, E.
Letter to the Editor, 386

Prati, P.
One-Year Study of the Elemental Composition and Source Apportionment of PM_{10} Aerosols in Florence, Italy, 1372

Price, C.B.
Vapor-Phase Transport of Explosives from Buried Sources in Soils, 1525

Pruden, A.
Effect of Substrate Henry's Constant on Biofilter Performance, 409

Pun, B.
Application and Evaluation of Two Air Quality Models for Particulate Matter for a Southeastern U.S. Episode, 1478

Quan, C.
Comparisons of the Dust/Smoke Particulate that Settled Inside the Surrounding Buildings and Outside on the Streets of Southern New York City after the Collapse of the World Trade Center, September 11, 2001, 515

Raja, S.
Uptake of Aromatic Hydrocarbon Vapors (Benzene and Phenanthrene) at the Air-Water Interface of Micron-Size Water Droplets, 1550

Ramakrishnan, B.
Remediation of MTBE from Drinking Water: Air Stripping Followed by Off-Gas Adsorption, 529

Rasmussen, S.L.
Measuring Visual Opacity Using Digital Imaging Technology, 296

Rattigan, O.V.
Semicontinuous $PM_{2.5}$ Sulfate and Nitrate Measurements at an Urban and a Rural Location in New York: PMTACS-NY Summer 2001 and 2002 Campaigns, 1040

Ravikrishna, R.
Vapor-Phase Transport of Explosives from Buried Sources in Soils, 1525

Ray, M.B.
Modeling of Gas-Phase Photodegradation of Chloroform and Carbon Tetrachloride, 1281

Reed, G.
Response from Authors, 388

Reyes, E.
Analysis of $PM_{2.5}$ and PM_{10} in the Atmosphere of Mexico City during 2000–2002, 786

Reynolds, S.D.
Understanding the Effectiveness of Precursor Reductions in Lowering 8-Hr Ozone Concentrations—Part II. The Eastern United States, 1452

Rhee, S.H.
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model-Year Gasoline Vehicles, 258

Rhoads, K.
Semicontinuous $PM_{2.5}$ Sulfate and Nitrate Measurements at an Urban and a Rural Location in New York: PMTACS-NY Summer 2001 and 2002 Campaigns, 1040

Robbins, J.
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model-Year Gasoline Vehicles, 258

Robinson, M.S.
Chemical Speciation of $PM_{2.5}$ Collected during Prescribed Fires of the Coconino National Forest near Flagstaff, Arizona, 1112

Robinson, N.F.
On-Road Vehicle Particulate Matter and Gaseous Emission Distributions in Las Vegas, Nevada, Compared with Other Areas, 711

Rodríguez, S.
A Mechanistic Model for Mercury Capture with In Situ-Generated Titania Particles: Role of Water Vapor, 149

Rogers, C.F.
A Quantitative Description of Vehicle Exhaust Particle Size Distributions in a Highway Tunnel, 360

Rojas-Bracho, L.
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207

Rotola, J.D.
Evaluation of Vacuum and Wet-Wipe Methods for Removal of World Trade Center Dust from Indoor Environments, 1293

Rouphail, N.M.
Quantification of Highway Vehicle Emissions Hot Spots Based upon On-Board Measurements, 130

Roy, D.N.
Manganese Content of *Tradescancia* Species Exposed to Automotive Combustion of Methylcyclopentadienyl Manganese Tricarbonyl in Urban and Rural Landscapes, 181

Ruiz, H.
Analysis of $PM_{2.5}$ and PM_{10} in the Atmosphere of Mexico City during 2000–2002, 786

Ryu, S.Y.
Chemical Composition of Post-Harvest Biomass Burning Aerosols in Gwangju, Korea, 1124

Sagebiel, J.
Emission Rates and Comparative Chemical Composition from Selected In-Use Diesel and Gasoline-Fueled Vehicles, 1138

Sahay, K.
Evaluation of Catalyzed and Electrically Heated Filters for Removal of Particulate Emissions from Diesel-A- and JP-8-Fueled Engines, 83

Said, J.
Geotechnical Engineering Properties of Incinerator Ash Mixes, 985

Saito, H.H.
Regulatory Off-Gas Analysis from the Evaporation of Hanford Simulated Waste Spiked with Organic Compounds, 1242

Sajani, S.Z.
Urban Air Pollution Monitoring and Correlation Properties between Fixed-Site Stations, 1236

Salmon, L.G.
Ozone Measurements in South Carolina Using Passive Samplers, 1312

Sánchez, G.
Analysis of $PM_{2.5}$ and PM_{10} in the Atmosphere of Mexico City during 2000–2002, 786

Sanhueza, P.
Response from Authors, 388

Sardar, S.B.
Associations between Particle Number and Gaseous Co-Pollutant Concentrations in the Los Angeles Basin, 992

Sarofim, A.F.
Evaluation of Catalyzed and Electrically Heated Filters for Removal of Particulate Emissions from Diesel-A- and JP-8-Fueled Engines, 83

Sarwar, G.
Indoor Fine Particles: The Role of Terpene Emissions from Consumer Products, 367

Sauer, C.G.
Impact of Engine Lubricant Properties on Regulated Gaseous Emissions of 2000–2001 Model-Year Gasoline Vehicles, 258

Sauer, T.
Evaluation of Relative Photonic Efficiency in Heterogeneous Photocatalytic Reactors, 77

Sax, T.
Near-Field Dispersion Modeling for Regulatory Applications, 473

Scahill, J.
A New Method for the Rapid Determination of Volatile Organic Compound Breakthrough Times for a Sorbent at Concentrations Relevant to Indoor Air Quality, 105

Schauer, J.J.
Hourly and Daily Patterns of Particle-Phase Organic and Elemental Carbon Concentrations in the Urban Atmosphere, 823

Scherr, R.
State of the Association: Reaching Financial Stability, 505

Schwab, J.J.
Laboratory Characterization of Modified Tapered Element Oscillating Microbalance Samplers, 1254
Long-Term Field Characterization of Tapered Element Oscillating Microbalance and Modified Tapered Element Oscillating Microbalance Samplers in Urban and Rural New York State Locations, 1264
Semicontinuous $PM_{2.5}$ Sulfate and Nitrate Measurements at an Urban and a Rural Location in New York: PMTACS-NY Summer 2001 and 2002 Campaigns, 1040

Schwartz, S.E.
Uncertainty Requirements in Radiative Forcing of Climate Change, 1351

Scotto, F.
Urban Air Pollution Monitoring and Correlation Properties between Fixed-Site Stations, 1236

Seigneur, C.
Application and Evaluation of Two Air Quality Models for Particulate Matter for a Southeastern U.S. Episode, 1478

Serelis, K.
Combining Neural Network Models to Predict Spatial Patterns of Airborne Pollutant Accumulation in Soils around an Industrial Point Emission Source, 1506

Shadwick, D.S.
Spatial Variability of $PM_{2.5}$ in Urban Areas in the United States, 440

Shah, J.J.
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226

Shepherd, M.
Characterization of Visibility Impacts Related to Fine Particulate Matter in Canada, 1061

Sheppard, L.
Estimated Hourly Personal Exposures to Ambient and Nonambient Particulate Matter Among Sensitive Populations in Seattle, Washington, 1197

Shin, H.-S.
Performance of an Innovative Two-Stage Process Converting Food Waste to Hydrogen and Methane, 242

Shinohara, N.
Field Validation of an Active Sampling Cartridge as a Passive Sampler for Long-Term Carbonyl Monitoring, 419

Simpson, C.
Source Apportionment of Indoor, Outdoor, and Personal $PM_{2.5}$ in Seattle, Washington, Using Positive Matrix Factorization, 1175

Simpson, C.D.
Determination of Levoglucosan in Atmospheric Fine Particulate Matter, 689

Sinclair, A.H.
Associations and Lags between Air Pollution and Acute Respiratory Visits in an Ambulatory Care Setting: 25-Month Results from the Aerosol Research and Inhalation Epidemiological Study, 1212

Singh, M.P.
Forecasting Daily Maximum Surface Ozone Concentrations in Brunei Darussalam—An ARIMA Modeling Approach, 809
Removal of Ultrafine and Fine Particulate Matter from Air by a Granular Bed Filter, 935

Sioutas, C.
Associations between Particle Number and Gaseous Co-Pollutant Concentrations in the Los Angeles Basin, 992
The Relationship between Real-Time and Time-Integrated Coarse (2.5–10 μm), Intermodal (1–2.5 μm), and Fine (<2.5 μm) Particulate Matter in the Los Angeles Basin, 1029
Removal of Ultrafine and Fine Particulate Matter from Air by a Granular Bed Filter, 935

Sistla, G.
An Operational Assessment of the Application of the Relative Reduction Factors in the Demonstration of Attainment of the 8-Hr Ozone National Ambient Air Quality Standard, 950

Smith, D.
Supply Curves for Using Powder River Basin Coal to Reduce Sulfur Emissions, 741

Smith, L.A.
Field Method Comparison between Passive Air Samplers and Continuous Monitors for VOCs and NO_2 in El Paso, Texas, 307

Sofuoglu, S.C.
The Indoor Environmental Index and Its Relationship with Symptoms of Office Building Occupants, 1440

Sorial, G.A.
Remediation of MTBE from Drinking Water: Air Stripping Followed by Off-Gas Adsorption, 529

Spengler, J.D.
Outdoor/Indoor/Personal Ozone Exposures of Children in Nashville, Tennessee, 352

Speth, T.F.
Remediation of MTBE from Drinking Water: Air Stripping Followed by Off-Gas Adsorption, 529

Spicer, J.
Long-Term Field Characterization of Tapered Element Oscillating Microbalance and Modified Tapered Element Oscillating Microbalance Samplers in Urban and Rural New York State Locations, 1264

Squier, W.C.
Characterization of the Fugitive Particulate Emissions from Construction Mud/Dirt Carryout, 1394

Srivastava, R.K.
Emissions of Sulfur Trioxide from Coal-Fired Power Plants, 750
Investigation of Selective Catalytic Reduction Impact on Mercury Speciation under Simulated NO_x Emission Control Conditions, 1560

St. Denis, M.
Development of the IM147: An Alternative Inspection/Maintenance Mass-Emission Transient Test to Address Vehicle Preconditioning Concerns, 269

Stage, S.A.
Determination of Acute Exposure Guideline Levels in a Dispersion Model, 49

Stein, A.
Letters to the Editor, 770

Stephens, E.A., Jr.
Gas-Phase Mercury Reduction to Measure Total Mercury in the Flue Gas of a Coal-Fired Boiler, 60

Stevens, F.M.
Investigation of Selective Catalytic Reduction Impact on Mercury Speciation under Simulated NO_x Emission Control Conditions, 1560

Stewart, S.
Method for Reporting In-Use Vehicle Fuel Consumption and Carbon Dioxide Emissions from a Fast-Pass Transient Inspection, 593

Stone, D.A.
Measuring Visual Opacity Using Digital Imaging Technology, 296

Suh, H.H.
Personal Exposures to Particles and Their Relationships with Personal Activities for Chronic Obstructive Pulmonary Disease Patients Living in Boston, 207

Suidan, M.T.
Effect of Substrate Henry's Constant on Biofilter Performance, 409

Sunwoo, Y.
Atmospheric Concentrations of $PM_{2.5}$ Trace Elements in the Seoul Urban Area of South Korea, 432

Svensson, B.H.
Occurrence and Abatement of Volatile Sulfur Compounds during Biogas Production, 855

Taha, R.
Geotechnical Engineering Properties of Incinerator Ash Mixes, 985

Tan, Z.
A Review of Effects and Control Methods of Particulate Matter in Animal Indoor Environments, 845

Tang, K.M.
Evaluation of Vacuum and Wet-Wipe Methods for Removal of World Trade Center Dust from Indoor Environments, 1293

Tefft, B.
Development of the IM147: An Alternative Inspection/Maintenance Mass-Emission Transient Test to Address Vehicle Preconditioning Concerns, 269

Terry, S.H.
Measuring Visual Opacity Using Digital Imaging Technology, 296

Themelis, N.J.
Recycling in a Megacity, 389

Thomson, B.
Temporal Variation in Daily Concentrations of Ozone and Acid-Related Substances at Saturna Island, British Columbia, 459

Tierney, E.J.
Real-World Vehicle Emissions: A Summary of the Thirteenth Coordinating Research Council On-Road Vehicle Emissions Workshop, 8

Todd, C.E.
Recycling in a Megacity, 389

Tolsma, D.
Associations and Lags between Air Pollution and Acute Respiratory Visits in an Ambulatory Care Setting: 25-Month Results from the Aerosol Research and Inhalation Epidemiological Study, 1212

Tomkins, B.A.
Development and Application of Protocols for the Determination of Response of Real-Time Particle Monitors to Common Indoor Aerosols, 229

Torgerson, G.D.
Development of the IM147: An Alternative Inspection/Maintenance Mass-Emission Transient Test to Address Vehicle Preconditioning Concerns, 269

Tsai, C.-J.
Inorganic Acid Emission Factors of Semiconductor Manufacturing Processes, 218

Tsai, Y.A.
Trends in Concentration of Ground-Level Ozone and Meteorological Conditions during High Ozone Episodes in the Kao-Ping Airshed, Taiwan, 36

Tseng, C.-P.
Operational Characteristics of Effective Removal of H_2S and NH_3 Waste Gases by Activated Carbon Biofilter, 450

Tsiros, I.X.
Combining Neural Network Models to Predict Spatial Patterns of Airborne Pollutant Accumulation in Soils around an Industrial Point Emission Source, 1506

Turner, J.R.
Hourly and Daily Patterns of Particle-Phase Organic and Elemental Carbon Concentrations in the Urban Atmosphere, 823

Unal, A.
Quantification of Highway Vehicle Emissions Hot Spots Based upon On-Board Measurements, 130

Valsaraj, K.T.
Uptake of Aromatic Hydrocarbon Vapors (Benzene and Phenanthrene) at the Air-Water Interface of Micron-Size Water Droplets, 1550
Vapor-Phase Transport of Explosives from Buried Sources in Soils, 1525

Van Pelt, V.J.
Gas-Phase Mercury Reduction to Measure Total Mercury in the Flue Gas of a Coal-Fired Boiler, 60

Vega, E.
Analysis of $PM_{2.5}$ and PM_{10} in the Atmosphere of Mexico City during 2000–2002, 786

Velazquez, S.
Chemical Speciation of $PM_{2.5}$ Collected during Prescribed Fires of the Coconino National Forest near Flagstaff, Arizona, 1112

Venkatram, A.
Near-Field Dispersion Modeling for Regulatory Applications, 473

Veranth, J.
Deposition and Removal of Fugitive Dust in the Arid Soutwestern United States: Measurements and Model Results, 1099

Verville, J
Estimation of Vinyl Chloride Emissions from Gasholders and Validation of In Situ Emission Reduction Methods, 172

Vette, A.
Comparisons of the Dust/Smoke Particulate that Settled Inside the Surrounding Buildings and Outside on the Streets of Southern New York City after the Collapse of the World Trade Center, September 11, 2001, 515

Vijayaraghavan, K.
Application and Evaluation of Two Air Quality Models for Particulate Matter for a Southeastern U.S. Episode, 1478

Vingarzan, R.
Temporal Variation in Daily Concentrations of Ozone and Acid-Related Substances at Saturna Island, British Columbia, 459

Wagner, D.A.
Evaluation of Catalyzed and Electrically Heated Filters for Removal of Particulate Emissions from Diesel-A- and JP-8-Fueled Engines, 83

Wallace, L.
Estimated Hourly Personal Exposures to Ambient and Nonambient Particulate Matter Among Sensitive Populations in Seattle, Washington, 1197

Wang, Y.
An Optimal Model and Its Application for the Management of Municipal Solid Waste from Regional Small Cities in China, 191

Watkins, J.W.
Use of Noise Attenuation Modeling in Managing Missile Motor Detonation Activities, 342

Watson, J.G.
2004 Critical Review Discussion: Megacities and Atmospheric Pollution, 1226
Analysis of $PM_{2.5}$ and PM_{10} in the Atmosphere of Mexico City during 2000–2002, 786
Measurement of Ultrafine Particle Size Distributions from Coal-, Oil-, and Gas-Fired Stationary Combustion Sources, 1494
On-Road Vehicle Particulate Matter and Gaseous Emission Distributions in Las Vegas, Nevada, Compared with Other Areas, 711

Watt, A.S.
A New Method for the Rapid Determination of Volatile Organic Compound Breakthrough Times for a Sorbent at Concentrations Relevant to Indoor Air Quality, 105

Weisel, C.P.
Comparisons of the Dust/Smoke Particulate that Settled Inside the Surrounding Buildings and Outside on the Streets of Southern New York City after the Collapse of the World Trade Center, September 11, 2001, 515

Welch, W.
Emissions and Demonstration of an Emission Control Technology for Small Two-Stroke Utility Engines, 200

Weschler, C.J.
Indoor Fine Particles: The Role of Terpene Emissions from Consumer Products, 367

White, C.M.
The Regional Nature of $PM_{2.5}$ Episodes in the Upper Ohio River Valley, 971

White, T.L.
Regulatory Off-Gas Analysis from the Evaporation of Hanford Simulated Waste Spiked with Organic Compounds, 1242

Whitney, K.
Emission Rates and Comparative Chemical Composition from Selected In-Use Diesel and Gasoline-Fueled Vehicles, 1138

Wittmaack, K.
Characterization of Carbon Nanoparticles in Ambient Aerosols by Scanning Electron Microscopy and Model Calculations, 1091

Wolfrum, E.J
A New Method for the Rapid Determination of Volatile Organic Compound Breakthrough Times for a Sorbent at Concentrations Relevant to Indoor Air Quality, 105

Wolfson, J.M.
Ozone Measurements in South Carolina Using Passive Samplers, 1312

Woodruff, T.J.
An Analysis of Candidates for Addition to the Clean Air Act List of Hazardous Air Pollutants, 157

Wu, C.-H.
Preparation of Sulfurized Powdered Activated Carbon from Waste Tires Using an Innovative Compositive Impregnation Process, 862

Wu, F.
Simultaneous Removal of Nitrogen Oxide/Nitrogen Dioxide/Sulfur Dioxide from Gas Streams by Combined Plasma Scrubbing Technology, 941

Wu, K.Y.
Abatement of Sulfur Hexafluoride Emissions from the Semiconductor Manufacturing Process by Atmospheric-Pressure Plasmas, 960

Wu, S.-Y.
Application and Evaluation of Two Air Quality Models for Particulate Matter for a Southeastern U.S. Episode, 1478

Xue, J.
Outdoor/Indoor/Personal Ozone Exposures of Children in Nashville, Tennessee, 352

Yadav, A.K.
Forecasting Daily Maximum Surface Ozone Concentrations in Brunei Darussalam—An ARIMA Modeling Approach, 809

Yamamoto, N.
Field Validation of an Active Sampling Cartridge as a Passive Sampler for Long-Term Carbonyl Monitoring, 419

Yamasaki, A.
Field Validation of an Active Sampling Cartridge as a Passive Sampler for Long-Term Carbonyl Monitoring, 419

Yan, G.
An Optimal Model and Its Application for the Management of Municipal Solid Waste from Regional Small Cities in China, 191

Yanagisawa, Y.
Field Validation of an Active Sampling Cartridge as a Passive Sampler for Long-Term Carbonyl Monitoring, 419

Yang, B.-Y.
Catalytic Destruction of Dichloromethane Using Perovskite-Type Oxide Catalysts, 727

Yang, C.
Effect of Substrate Henry's Constant on Biofilter Performance, 409

Yang, G.S.
Study on the Effect of Iron on PM_{10} Formation and Design of a Particle-Generating System Using a Cocentric Diffusion Burner Flame, 898

Yang, Q.
Modeling of Gas-Phase Photodegradation of Chloroform and Carbon Tetrachloride, 1281

Yang, R.
An Improved Model for Analyzing the Performance of Photocatalytic Oxidation Reactor in Removing Volatile Organic Compounds and Its Application, 1516

Yang, S.-F.
Selective Catalytic Oxidation of Ammonia over Copper-Cerium Composite Catalyst, 68

Yank, I.
Comparisons of the Dust/Smoke Particulate that Settled Inside the Surrounding Buildings and Outside on the Streets of Southern New York City after the Collapse of the World Trade Center, September 11, 2001, 515

Yi, S.-M.
Measurement of Ultrafine Particle Size Distributions from Coal-, Oil-, and Gas-Fired Stationary Combustion Sources, 1494

Yiin, L.-M.
Comparisons of the Dust/Smoke Particulate that Settled Inside the Surrounding Buildings and Outside on the Streets of Southern New York City after the Collapse of the World Trade Center, September 11, 2001, 515

Yoo, C.
Simulating Urban-Scale Air Pollutants and Their Predicting Capabilities over the Seoul Metropolitan Area, 695

Yoon, H.
Associations between Particle Number and Gaseous Co-Pollutant Concentrations in the Los Angeles Basin, 992

Yost, S.L.
Vapor-Phase Transport of Explosives from Buried Sources in Soils, 1525

Young, L.-H.
Characterization of Ultrafine Particle Number Concentration and Size Distribution During a Summer Campaign in Southwest Detroit, 1079

Yuan, C.-S.
Preparation of Sulfurized Powdered Activated Carbon from Waste Tires Using an Innovative Compositive Impregnation Process, 862

Zaffiro, A.
Remediation of MTBE from Drinking Water: Air Stripping Followed by Off-Gas Adsorption, 529

Zalewsky, E.
An Operational Assessment of the Application of the Relative Reduction Factors in the Demonstration of Attainment of the 8-Hr Ozone National Ambient Air Quality Standard, 950

Zarate, E.A.
Gas-Phase Mercury Reduction to Measure Total Mercury in the Flue Gas of a Coal-Fired Boiler, 60

Zawislanski, P.T.
Comparison of Aerobic and Anaerobic Biotreatment of Municipal Solid Waste, 815

Zhang, B.
Photochemical Smog Modeling for Assessment of Potential Impacts of Different Management Strategies on Air Quality of the Bangkok Metropolitan Region, Thailand, 1321

Zhang, Y.
Application and Evaluation of Two Air Quality Models for Particulate Matter for a Southeastern U.S. Episode, 1478
A Review of Effects and Control Methods of Particulate Matter in Animal Indoor Environments, 845

Zhang, Y.-P.
An Improved Model for Analyzing the Performance of Photocatalytic Oxidation Reactor in Removing Volatile Organic Compounds and Its Application, 1516

Zhao, R.-Y.
An Improved Model for Analyzing the Performance of Photocatalytic Oxidation Reactor in Removing Volatile Organic Compounds and Its Application, 1516

Zhao, Y.
Development of Probabilistic Emission Inventories of Air Toxics for Jacksonsville, Florida, 1405

Zhiquan, T.
Removal of NO_x from Flue Gas with Iron Filings Reduction Following Complexing Absorption in Ferrous Chelates Aqueous Solutions, 1543

Zhu, X.
Effect of Substrate Henry's Constant on Biofilter Performance, 409

Zhuanshi, H.
Chemical Composition of Post-Harvest Biomass Burning Aerosols in Gwangju, Korea, 1124

Zielinska, B.
Emission Rates and Comparative Chemical Composition from Selected In-Use Diesel and Gasoline-Fueled Vehicles, 1138

Ziman, S.D.
Understanding the Effectiveness of Precursor Reductions in Lowering 8-Hr Ozone Concentrations—Part II. The Eastern United States, 1452

Zucchiatti, A.
One-Year Study of the Elemental Composition and Source Apportionment of PM_{10} Aerosols in Florence, Italy, 1372